



Schlüter®-KERDI-BOARD

The universal substrate for tiles

Perfect Covering

No matter whether you work with mosaics or large format tiles, an absolutely level substrate with straight and precisely angled internal and external corners is essential for a perfect tile covering...

... which tile installers can now create on their own, using Schlüter®-KERDI-BOARD.

Those who assume responsibility (and warranty) for the tile covering also have to be responsible for the substrate. Developers, architects and designers have to keep this in mind when contracting the work.


For this purpose, Schlüter®-KERDI-BOARD offers the following properties:

- Even, impact resistant and rigid
- Waterproof and temperature resistant
- Reliable bonded waterproofing
- Vapour retardant
- Thermally insulating
- Fleece webbing for easy anchoring in thin bed adhesive
- Quick and easy to install
- Lightweight, easy to handle and transport
- Contains no cement or fibreglass
- Dust free and easy to cut (with a utility knife)
- Printed gridlines for precise cutting
- Suitable for use on any kind of background substrate
- Suitable for free standing partition walls, shelves, coverings and similar structures.




Note:


Many substrates encountered in new buildings and renovation projects are unsuitable for tile installation, especially in areas with high moisture. This can require comprehensive additional work and waterproofing measures. **Schlüter®-KERDI-BOARD** makes it easy to create an instant substrate for tile installation over substrates as diverse as masonry, stud frame constructions of wood or metal and mixed/existing substrates in renovation projects.



- **Waterproof and temperature resistant**
- **Suitable for use on any kind of background**
- **Fleece webbing for anchoring in thin bed adhesive**



German Registered Design



- Dust free and easy to install
- Printed gridlines for precise cutting
- Lightweight and easy to transport
- Easy to handle
- Reliable bonded waterproofing

- Even, impact resistant and rigid
- Vapour retardant
- Thermally insulating
- Free of cement/fibreglass


Dimensions and packaging data of Schlüter®-KERDI-BOARD

Panel thickness	5 mm	9 mm	12.5 mm	19 mm	28 mm	38 mm	50 mm
Packaging unit (PU)	10 panels	10 panels	10 panels	6 panels	4 panels	3 panels	3 panels
Pallet content	14 PU (140 panels)	8 PU (80 panels)	6 PU (60 panels)	7 PU (42 panels)	7 PU (28 panels)	7 PU (21 panels)	5 PU (15 panels)
Format 125 x 62.5 cm							
m ² / pallet	109.20	62.40	46.80	32.76	21.84	16.38	11.70
kg / panel	0.64	0.77	0.79	0.94	1.20	1.44	1.75
Format 260 x 62.5 cm							
m ² / pallet	226.80	129.60	97.20	68.04	45.36	34.02	24.30
kg / panel	1.34	1.60	1.65	1.95	2.50	3.00	3.65

Schlüter®-KERDI-BOARD

Schlüter®-KERDI-BOARD is a universal substrate for the installation of tiles on walls of any kind and can also be used in bonded waterproofing assemblies.

(Product data sheet 12.1)



Schlüter®-KERDI-BOARD			
substrate panel			
H = mm	62.5 x 260 cm = 1.62 m ² Art.-No.	€/ m ²	PL = Unit
5	KB 5 625 2600	28.31	140
9	KB 9 625 2600	29.68	80
12.5	KB 12 625 2600	31.09	60
19	KB 19 625 2600	32.46	42
28	KB 28 625 2600	36.07	28
38	KB 38 625 2600	40.51	21
50	KB 50 625 2600	45.52	15

Schlüter®-KERDI-BOARD		
mixed pallets		
composition	L = 2.60 m Art.-No.	€/ U.
20 x 5 mm, 20 x 9 mm, 20 x 12.5 mm, 12 x 19 mm	KB 2600 MP1	3517.15
8 x 28 mm, 6 x 38 mm, 6 x 50 mm	KB 2600 MP2	1303.64
10 x 5 mm, 10 x 9 mm, 10 x 12.5 mm, 6 x 19 mm, 4 x 28 mm, 3 x 38 mm, 3 x 50 mm	KB 2600 MP3	2410.38

Schlüter®-KERDI-BOARD			
substrate panel			
H = mm	62.5 x 125 cm = 0.78 m ² Art.-No.	€/ m ²	PL = Unit
5	KB 5 625 1250	28.31	140
9	KB 9 625 1250	29.68	80
12.5	KB 12 625 1250	31.09	60
19	KB 19 625 1250	32.46	42
28	KB 28 625 1250	36.07	28
38	KB 38 625 1250	40.51	21
50	KB 50 625 1250	45.52	15

Schlüter®-KERDI-BOARD		
mixed pallets		
composition	L = 1.25 m Art.-No.	€/ U.
20 x 5 mm, 20 x 9 mm, 20 x 12.5 mm, 12 x 19 mm	KB 1250 MP1	1693.44
8 x 28 mm, 6 x 38 mm, 6 x 50 mm	KB 1250 MP2	627.67
10 x 5 mm, 10 x 9 mm, 10 x 12.5 mm, 6 x 19 mm, 4 x 28 mm, 3 x 38 mm, 3 x 50 mm	KB 1250 MP3	1160.56


Note: Minimum quantity = 1 packaging unit (see table on page 169 for packaging units)

Schlüter®-KERDI-BOARD-V

Schlüter®-KERDI-BOARD-V is an substrate and construction panel with vertical grooves for creating curved tile installation substrates.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-V			
substrate panel with vertical grooves			
H = mm	62.5 x 260 cm = 1.62 m ² Art.-No.	€/ m ²	PL = Unit
9	KB 9 625 2600 V	37.68	80
12.5	KB 12 625 2600 V	39.08	60
19	KB 19 625 2600 V	40.45	42
28	KB 28 625 2600 V	44.06	28
38	KB 38 625 2600 V	48.50	21
50	KB 50 625 2600 V	53.50	15





Schlüter®-KERDI-BOARD-E

Schlüter®-KERDI-BOARD-E is an angled component for creating corner formations and pipe panelling.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-E

angle component, 260 x 62.5 cm

H = mm	31 x 31 cm Art.-No.	€ / U.	PL = Unit
12.5	KB 12 625 2600 E	68.49	60
19	KB 19 625 2600 E	70.71	42
28	KB 28 625 2600 E	76.58	28



Schlüter®-KERDI-BOARD-E/-U

combined package with precut L and U shaped Schlüter®-KERDI-BOARD panels to conceal pipes or electrical conduit

composition	L = 2.60 m Art.-No.	€ / U.
2 x KB 19 625 2600 E 2 x KB 19 625 2600 U 20 2 x KB 19 625 2600 U 30	KB RK 2600 MP1	496.37

Schlüter®-KERDI-BOARD-U


Schlüter®-KERDI-BOARD-U is a U shaped component for creating pipe panelling.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-U

U shaped component, 260 x 62.5 cm

H = mm	21 x 20 x 21 cm Art.-No.	€ / U.	PL = Unit
19	KB 19 625 2600 U 20	88.75	42
	16 x 30 x 16 cm		
19	KB 19 625 2600 U 30	88.75	42



Schlüter®-KERDI-BOARD-E/-U

combined package with precut L and U shaped Schlüter®-KERDI-BOARD panels to conceal pipes or electrical conduit

composition	L = 2.60 m Art.-No.	€ / U.
2 x KB 19 625 2600 E 2 x KB 19 625 2600 U 20 2 x KB 19 625 2600 U 30	KB RK 2600 MP1	496.37

Schlüter®-KERDI-BOARD-ZW


Schlüter®-KERDI-BOARD-ZW is a 30 x 30 mm stainless steel angle profile with two trapezoid perforated anchoring legs. It is used for connecting and stabilising structures made of Schlüter®-KERDI-BOARD panels. It is either attached with screws or thin-bed adhesive.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-ZW

stainless steel angle profile, 30 x 30 mm


L = cm	L = 0.15 m Art.-No.	€ / U.	KV = Unit
15	KB ZW 30 E/15	1.27	120
	L = 2.50 m	€ / m	
250	KB ZW 30 E	7.59	120



Schlüter®-KERDI-BOARD-ZC

Schlüter®-KERDI-BOARD-ZC is a U shaped profile of brushed stainless steel with trapezoid perforations in one anchoring leg. It is particularly suited for the connection of kitchen work tops, vanities, and similar surfaces.

(Product data sheet 12.1)




Schlüter®-KERDI-BOARD-ZC			
U shaped profile with trapezoid perforations on one side brushed stainless steel V2A			
H = mm	L = 2.50 m Art.-No.	€ / m	KV = Unit
38	KB ZC 38 EB	17.99	40
50	KB ZC 50 EB	19.65	40

Schlüter®-KERDI-BOARD-ZC/E			
corner piece with trapezoid perforations on one side brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
38	E/KB ZC 38 EB	16.19	10
50	E/KB ZC 50 EB	16.19	10

Schlüter®-KERDI-BOARD-Z/V			
connector brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
38	V/KB Z 38 EB	5.11	50
50	V/KB Z 50 EB	5.11	50

Schlüter®-KERDI-BOARD-ZI/V			
internal connector brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
38	V/KB ZI 38 E	3.17	50
50	V/KB ZI 50 E	3.17	50



KERDI-BOARD-ZC/E



KERDI-BOARD-Z/V




KERDI-BOARD-ZI/V

Schlüter®-KERDI-BOARD-ZA

Schlüter®-KERDI-BOARD-ZA is a U shaped profile of brushed stainless steel with trapezoid perforations in both anchoring legs. It is particularly suited for visible edges of partition walls and shelves.

(Product data sheet 12.1)




Schlüter®-KERDI-BOARD-ZA			
U shaped profile with trapezoid perforations on both sides brushed stainless steel V2A			
H = mm	L = 2.50 m Art.-No.	€ / m	KV = Unit
19	KB ZA 19 EB	15.26	40
28	KB ZA 28 EB	16.48	40
38	KB ZA 38 EB	17.99	40
50	KB ZA 50 EB	19.65	40

Schlüter®-KERDI-BOARD-ZA/E			
U shaped corner piece with trapezoid perforations on both sides brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
38	E/KB ZA 38 EB	16.19	10
50	E/KB ZA 50 EB	16.19	10

Schlüter®-KERDI-BOARD-Z/V			
connector brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
19	V/KB Z 19 EB	5.11	50
38	V/KB Z 38 EB	5.11	50
28	V/KB Z 28 EB	5.11	50
50	V/KB Z 50 EB	5.11	50

Schlüter®-KERDI-BOARD-ZI/V			
internal connector brushed stainless steel V2A			
H = mm	Art.-No.	€ / U.	P = Unit
19	V/KB ZI 19 E	3.17	50
38	V/KB ZI 38 E	3.17	50
28	V/KB ZI 28 E	3.17	50
50	V/KB ZI 50 E	3.17	50



KERDI-BOARD-ZA/E



KERDI-BOARD-Z/V



KERDI-BOARD-ZI/V



Schlüter®-KERDI-BOARD-ZB


Schlüter®-KERDI-BOARD-ZB is a U shaped profile of stainless steel with trapezoid perforations in three anchoring legs. It is used for connecting and stabilising structures made of Schlüter®-KERDI-BOARD panels.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-ZB

U shaped profile with trapezoid perforations on three sides stainless steel V2A

H = mm	L = 2.50 m Art.-No.	€ / m	KV = Unit
19	KB ZB 19 E	13.15	40
28	KB ZB 28 E	14.21	40
38	KB ZB 38 E	15.37	40
50	KB ZB 50 E	16.87	40



Schlüter®-KERDI-BOARD-ZSD

Schlüter®-KERDI-BOARD-ZSD are galvanised steel or stainless steel anchors for the additional mechanical fastening of Schlüter®-KERDI-BOARD to the substrate.

(Product data sheet 12.1)



Schlüter®-KERDI-BOARD-ZSD

anchor stainless steel

L = cm	Art.-No.	€ / Package	P = Package
9	KB ZSD 90 E	21.93	10
11	KB ZSD 110 E	25.31	10

package = 25 units

Schlüter®-KERDI-BOARD-ZSD

anchor galvanised steel

L = cm	Art.-No.	€ / Package	P = Package
9	KB ZSD 90 Z	11.77	10
11	KB ZSD 110 Z	13.55	10

package = 25 units

Schlüter®-KERDI-BOARD-ZT

Schlüter®-KERDI-BOARD-ZT are galvanised steel or stainless steel washers for the attachment of Schlüter®-KERDI-BOARD to stud frame structures.

(Product data sheet 12.1)



Schlüter®-KERDI-BOARD-ZT

washers stainless steel Ø 36 mm

Art.-No.	€ / Package	P = Package
KB ZT 36 E	48.26	10

package = 100 units

Schlüter®-KERDI-BOARD-ZT

washers galvanised steel Ø 36 mm

Art.-No.	€ / Package	P = Package
KB ZT 36 Z	17.21	10


package = 100 units



Schlüter®-KERDI-BOARD-ZS

Schlüter®-KERDI-BOARD-ZS are installation screws for the attachment of Schlüter®-KERDI-BOARD to stud frame structures.

(Product data sheet 12.1)



Schlüter®-KERDI-BOARD-ZS		
35 mm fine thread self tapping screw		
Art.-No.	€/ Package	P = Package
KB ZS 35 FB	5.32	10

package = 200 units

Schlüter®-KERDI-BOARD-ZS		
55 mm fine thread self tapping screw		
Art.-No.	€/ Package	P = Package
KB ZS 55 FB	3.28	10

package = 100 units

Schlüter®-KERDI-BOARD-ZS		
75 mm coarse thread screw		
Art.-No.	€/ Package	P = Package
KB ZS 75 G	4.88	10

package = 100 units

Schlüter®-KERDI-BOARD-ZDK

Schlüter®-KERDI-BOARD-ZDK is a double sided adhesive tape for the attachment of Schlüter®-KERDI-BOARD in joint areas.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-ZDK			
double sided adhesive tape			
B = mm	L = 10 m Art.-No.	€/ U.	P = Unit
12	KB ZDK 12/10M	7.27	10
19	KB ZDK 19/10M	11.26	10
30	KB ZDK 30/10M	17.70	10



Schlüter®-KERDI-BOARD-ZSA

Schlüter®-KERDI-BOARD ZSA is a self adhesive tape for joint reinforcement where trowel-applied covering materials or plaster is used over Schlüter®-KERDI-BOARD.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-ZSA		
joint reinforcement		
100 mm x 45 m Art.-No.	€/ U.	P = Unit
KB ZSA 100/45M	12.93	10



Schlüter®-KERDI-BOARD-ZFP

Schlüter®-KERDI-BOARD-ZFP is a flat plastic profile that is adhered behind the U shaped profile to ensure strong reinforcement for attaching fittings; e.g. door hardware.

(Product data sheet 12.1)

Schlüter®-KERDI-BOARD-ZFP		
flat plastic profile		
35 mm x 2.50 m Art.-No.	€/ m	P = Unit
KB ZFP 35	3.33	10

