

Italian Tile & Stone
tiles.ie

CONTECH

www.tiles.ie




INDEX

- Contemporary p.02
- Minimal Design p.04
- Sizes - Finishes - Colours p.06
- Project Evolution endless p.08
- Retail p.12
- Architecture p.20
- Home p.28
- Features p.40

CONTEMPORARY

Concrete has characterised and given shape to modern times. It has stepped into the new millennium as a protagonist to leave its indelible mark in architecture. CONTECH porcelain stoneware is the interpretation of concrete beyond its main function as building material. It becomes a new manner to decorate interiors. CONTECH is the expression of contemporary style.




Floor **DG** 120x120
Wall **WG** 160x320
Panels **DG** 60x120

MINIMAL DESIGN

The minimal nature of CONTECH gives extra value to the product.

The combination of materials becomes a tool for design; the subtle and refined aesthetics speak clearly. Ceramic material changes depending on the context. It adapts to the surface and extends over it.

The structure with its slight changes in colour gives a dynamic feel but in a delicate manner. Matt and glossy areas, micro-cavities and small speckles all give their contribution to the dynamic feel.



Step Tread LG 33X60

PROJECT EVOLUTION

120X120 - MATT

60X120 - MATT

60X60 - MATT

30X60 - MATT

7,5X30 - GLAZED

AEXTRA 20

75x75 - GRIP

NEW PROJECT EVOLUTION

160X320 - MATT

endless


NEW PROJECT EVOLUTION

160X160 - MATT

endless



8SIZES 3FINISHES
5COLOURS




PROJECT EVOLUTION

endless

Continuity of surfaces, fields of vision that tend towards the infinite. The endless 160x320 and 160x160 sizes are a new and surprising development of the large sizes of Project Evolution, with its extra large ceramic slabs for monumental coverings to fulfil ambitions of beauty.



Floor **FABULA THECA** 30x120
Wall **WG** 160x320





RETAIL

Shops, boutiques, ateliers, restaurants, outdoor locations. CONTECT is a collection that has a strong content in terms of design. It is a tool for designers, interior designers and architects. CONTECT gives a bold impression but is never intrusive. It has been designed to trace out spaces with elegance and very clear-cut aesthetics.

Floor WG 160x160
Wall WG 160x320, LG 120X120



Floor **W** 60x60
Wall Panel **TRACE MINT** 120x240
Furniture **LG** 60x120



Floor **LG** 30x60



Floor B 60X60, AUTORE CAPRI 30X30



Floor **DG** 60x60
Wall **DG** 30x60



Floor **LG** 60x60
Wall **DECORO CONTEXT** 30x60

ARCHITECTURE

Exhibition spaces, libraries, hotels, conference rooms, shopping centres: the large sizes and particular colours of CONTECH define and enhance the beauty of large spaces. The collection has been created by summarising sources of inspiration coming from the metropolitan style and making them people-friendly for architecture within architecture.

Floor **DG** 60x120
Wall **ENCORE THECA** 30x120, **WG** 160X320



Floor **DG** 120x120
Wall **ENCORE NUCIS** 30x120
Furniture **ENCORE NUCIS** 30x120



Floor **B** 60x60
Wall **B** 30x60, **ENCORE ULMUS** 5,7x60, 20x120



Floor Outside **WG 75X75**
Floor Inside **WG 60x120**
Wall **WG 160x320**





Floor **DG** 120x120
 Furniture **ANIMA SELECT BIANCO ARABESCO** 120x240



Floor **WG** 60x120
 Furniture **PORTRAITS KIRKBY**

HOME

Villas, houses, apartments, lofts. From a metropolis to your rooms. With its minimal style, CONTECH enhances, highlights and becomes the art of furnishing. Your home spaces acquire depth and importance. The performance of this material makes your rooms precious and the interaction with furniture is always charming.

Floor **LG** 120x120
Wall **W** 60x120, **LAYERS TREND** 120X120



Floor **WG 60x60, INNER PEAK 30x60 GRIP**
Wall **DECORO SHADES 30x60**



Wall **W** 7,5x30



Wall **WG** 7,5x30




Floor Inside **WG** 120x120
Floor Outside **VIBE** 30X120



Floor **LG** 60x60
 Wall **LG** 60x120
 Furniture **B** 30x60



Floor **WG** 30x60
 Wall **WG** 30x60



Floor **WG** 75x75



Floor **DG** 75x75



FEATURES

Richness of tones, from cool grey to warm colours, large sizes, innovative decorations. With CONTECT creativity comes alive. Design becomes a potential and captures spaces with decision and visual power.




LG

PROJECT EVOLUTION



119,5X119,5
47¹/₁₆" x 47¹/₁₆"

SIZES



60X120
23⁵/₈" x 47²/₈"

60X60
23⁵/₈" x 23⁵/₈"

30X60
11¹³/₁₆" x 23⁵/₈"

7,5X30*
2¹⁵/₁₆" x 11¹³/₁₆"

* Not rectified, glazed, only for wall application.
Matt, Rectified, squared, one caliber.

Cool grey, to soften
environments.

V1



Uniform aspect. Slight shade variations among the pieces.



W

PROJECT EVOLUTION




119,5X119,5
47¹/₁₆" x 47¹/₁₆"

SIZES



60X120
23⁵/₈" x 47²/₈"



60X60
23⁵/₈" x 23⁵/₈"



30X60
11¹³/₁₆" x 23⁵/₈"



7,5X30*
2¹⁵/₁₆" x 11¹³/₁₆"

* Not rectified, glazed, only for wall application.

Matt, Rectified, squared, one caliber.

V1



Uniform aspect. Slight shade variations among the pieces.

White, a classic for
interior decoration.



PROJECT EVOLUTION
endless



160X320
63"x 126"

PROJECT EVOLUTION
endless



160X160
63"x 63"


PROJECT EVOLUTION




119,5X119,5
47'¹/₁₆" x 47'¹/₁₆"

Concrete, in its
meaning of pure colour.


SIZES




60X120
23'⁵/₈" x 47'⁷/₈"



60X60
23'⁵/₈" x 23'⁵/₈"



30X60
11'¹³/₁₆" x 23'⁵/₈"



7,5X30*
2'¹⁵/₁₆" x 11'¹³/₁₆"

A E X T R A 2 0
OPEN YOUR STYLE



75x75
29'⁹/₁₆" x 29'⁹/₁₆"

Matt, Rectified, squared, one caliber.

* Not rectified, glazed, only for wall application.

V1



Uniform aspect. Slight shade variations among the pieces.



DG

PROJECT EVOLUTION



119,5X119,5
47¹/₁₆" x 47¹/₁₆"


SIZES



60X120
23⁵/₈" x 47²/₈"



60X60
23⁵/₈" x 23⁵/₈"



30X60
11¹³/₁₆" x 23⁵/₈"



7,5X30*
2¹⁵/₁₆" x 11¹³/₁₆"

A E X T R A 2 0 
OPEN YOUR STYLE



75x75
29⁷/₁₆" x 29⁷/₁₆"

* Not rectified, glazed, only for wall application.

Matt, Rectified, squared, one caliber.

Dark grey, a keystone for design. .


V1



Uniform aspect. Slight shade variations among the pieces.


B

SIZES



* Not rectified, glazed, only for wall application.


Matt, Rectified, squared, one caliber.



Charcoal grey, all the elegance of dark tones.



DECOR - CONTEXT



60X60
23⁵/₈" x 23⁵/₈"



30X60
11¹³/₁₆" x 23⁵/₈"



Graphic textures that
give liveliness.


Matt, Rectified, squared, one caliber.



DECOR - SHADES




30X60
11¹³/₁₆" x 23⁵/₈"



Regular waves with intermittent tones.

Matt, Rectified, squared, one caliber.



DECOR - SPOTLIGHT

LG




60X60
23⁵/₈" x 23⁵/₈"

WG




60X60
23⁵/₈" x 23⁵/₈"

DG



60X60
23⁵/₈" x 23⁵/₈"



Brilliant reflections surface out from a refined material substrate.

Matt, Rectified, squared, one caliber.



DECOR - COMPOSIZIONE M



30X30
11¹³/₁₆" x 11¹³/₁₆"

LG



W




WG



DG




B




Contemporary porcelain
stoneware mosaic.


Naturel
Matt





Wall **COMPOSIZIONE M** 30x30 **SIDEWALK**


	<div>PROJECT EVOLUTION endless</div> <div>NEW</div> <div></div>	<div>PROJECT EVOLUTION endless</div> <div>NEW</div> <div></div>	<div>PROJECT EVOLUTION</div> <div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div>A E X T R A 2 0 OPEN YOUR STYLE</div> <div></div> <div></div>
	160X320 cm 63"x 126"	160X160 cm 63"x 63"	119,5X119,5 cm 47 ¹ / ₁₆ "x 47 ¹ / ₁₆ "	60x120 cm 23 ⁵ / ₈ "x 47 ² / ₈ "	60x60 cm 23 ⁵ / ₈ "x 23 ⁵ / ₈ "	30x60 cm 11 ¹³ / ₁₆ "x 23 ⁵ / ₈ "	7,5X30 2 ¹⁵ / ₁₆ "x 11 ¹³ / ₁₆ "	75X75 29 ⁹ / ₁₆ "x 29 ⁹ / ₁₆ "
DAM			●	●	●	●	▲	
PATH			●	●	●	●	▲	
YARD	●	●	●	●	●	●	▲	■
SIDEWALK			●	●	●	●	▲	■
BLOCK					●	●	▲	


V1





Uniform aspect. Slight shade variations among the pieces.

Rectified, squared, one caliber.


▲ Not rectified, glazed, only for wall application.

● Natural Matt

■ Grip

	<div></div> <div>Bullnose</div> <div>7,2x60 cm 2¹³/₁₆"x 23⁵/₈"</div>	<div></div> <div>Step tread</div> <div>33x120 cm 13"x 47²/₈"</div>	<div></div> <div>Step tread</div> <div>33x60 cm 13"x 23⁵/₈"</div>	<div></div> <div>Step tread corner</div> <div>33x33 cm 13"x 13"</div>
DAM	●	●	●	●
PATH	●	●	●	●
YARD	●	●	●	●
SIDEWALK	●	●	●	●
BLOCK	●		●	●

**Disponibile solo su richiesta. Manufactured only upon special request. Seulement sur demande. Nur auf Anfrage. Производится только по заказу.

IPackaging								
NATURALE - MATT - NATUREL NATUR - МАТОВАЯ	Size		Box			Pallet		
	CM	INCHES	PZ	MQ	KG	SC	MQ	KG
	160X320	63"x 126"	1	5,12	~78,00	14	71,68	~1092
	160X160	63"x 63"	1	2,56	~39,00	24	61,44	-936
	119,5X119,5	47 ¹ / ₁₆ "X47 ¹ / ₁₆ "	2	2,85605	~62,00	20	57,121	~1240
	60X120	23 ⁵ / ₈ "X 47 ² / ₈ "	2	1,44	~28,80	15	21,60	~432
	60x60	23 ⁵ / ₈ "X23 ⁵ / ₈ "	4	1,44	~28,40	30	43,20	~852
	30X60	11 ¹³ / ₁₆ "X23 ⁵ / ₈ "	7	1,26	25,00	40	50,40	~1000
SMALTATO - GLAZED	7,5X30	2 ¹⁵ / ₁₆ "X11 ¹³ / ₁₆ "	48	1,08	19,20	48	51,84	~921,60
AETRA 20  GRIP	75X75	29 ⁹ / ₁₆ "X 29 ⁹ / ₁₆ "	1	0,5625	25,71	42	23,625	~1079,82

The chromatic and/or pattern variations of the surface enhance the natural appearance of the product. To obtain a natural effect, we recommend a grouting joint of at least 2-3 mm. Tiles should be picked from at least 4-5 boxes and then mixed.
















In order to favour the ordinary maintenance procedures, it is recommended to carry out an acid wash of the surface after 48 hours from grout filling using an acid agent specific for porcelain stoneware tiles (for example "Nuovo Caesar 1").



Floor SIDEWALK 60x60

Technical features

Classification in accordance with EN ISO 14411 ISO 13006 annex G standards B1A with E ≤ 0,5%

	TECHNICAL FEATURES TILE PERFORMANCE DATA	NORMS	AVERAGE "CAESAR" VALUE * V			
			Naturel	Smaltato / GL		
	Size	ISO 10545-2	In accordance	In accordance τ		
	Water absorption*	ISO 10545-3	≤ 0,1%	In accordance		
	Water absorption*	◆ ASTM C373-88 (2006)	In accordance	In accordance		
	Bending strength*	ISO 10545-4	In accordance	In accordance		
	Impact resistance	ISO 10545-5	≥ 0,80	≥ 0,80		
	Deep scratch resistance*	ISO 10545-6	≤ 145 mm³	-		
	Thermal linear expansion coefficient*	ISO 10545-8	≈ 7 (10 ⁻⁶ °C ⁻¹)	≈ 7 (10 ⁻⁶ °C ⁻¹)		
	Termal shock resistance*	ISO 10545-9	In accordance	In accordance		
	Expansion in humidity*	ISO 10545-10	In accordance	In accordance		
	Crazing resistance	ISO 10545-11	-	In accordance		
	Frost resistance*	ISO 10545-12	Resistant	Resistant		
	Resistance to chemical attack ●	ISO 10545-13	Resistant	Resistant		
	Resistance to stains*	ISO 10545-14	Cleanable	Cleanable		
	Slip resistance**	DIN 51130	160X320, 160X160, 119,5X119,5, 60X120, 60X60, 30X60	R10 A	-	
		▲ DCOF	Conforme - In accordance Conforme - Erfüllt - Соответствует		-	
	Nominal Thickness		160X320, 160X160	6 mm	7,5x30	8,5 mm
			119,5X119,5, 60X120, 60X60, 30X60	9 mm		

* Average values referred to the lasto two years of production.
















** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.

- For domestic chemicals and swimming pool additives.

▲ Minimum Value Required ANSI A137.1 - 2012 > 0,42.

◆ Value Required ANSI A137.1-2012 WA≤ 0,5%.

TECHNICAL FEATURES - NOTES TECHNIQUES - BUILT Aextra20 .

	TECHNICAL FEATURES TILE PERFORMANCE DATA	NORMS	20 mm AVERAGE "CAESAR" VALUE *	
	Size	ISO 10545-2	In accordance	
	Water absorption*	ISO 10545-3	≤ 0,1%	
		◆ ASTM C373-88 (2006)	Conforme - In accordance Conforme - Erfüllt - Соответствует	
	Bending strength*	ISO 10545-4	Not applicable to tiles with a breaking strenght	≥ 3000 N
	Breaking strength	ISO 10545-4	> 10.000 N	
	Deep scratch resistance*	ISO 10545-6	≤ 145 mm³	
	Thermal linear expansion coefficient*	ISO 10545-8	≈ 7 (10⁻⁶ °C⁻¹)	
	Termal shock resistance*	ISO 10545-9	Resistente - Resistant Résistante - Beständig - Стойкий	
	Expansion in humidity*	ISO 10545-10	≤ 0,1 (mm/m)	
	Frost resistance*	ISO 10545-12	Resistente - Resistant Résistante - Beständig - Стойкий	
	Resistance to chemical attack ●	ISO 10545-13	Resistente - Resistant Résistante - Beständig - Стойкий	
	Static load	EN 12825		75x75
			Centro - Centre - Au centre - Mitte - По центру	KN>7,0
			Centro lato - Side centre - Au centre latéralement - Mitte Seite - По центру грани	KN>5,0
			Diagonale - Diagonal - En diagonale - Diagonal - По диагонали	KN>8,0
	Breaking load class***	EN 1339	U11*** T11***	
	Resistance to stains*	ISO 10545-14	Pulibile - Cleanable Nettoyable - Leicht zu reinigen - Чистящийся	
	Slip resistance**	DIN 51130-51097	R11 A+B	
		▲ DCOF	Conforme - In accordance Conforme - Erfüllt - Соответствует	
	Nominal Thickness		20 mm	

* Average values referred to the lasto two years of production.

** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.

*** Detail referred to the 60x60 cm and 75x75 cm sizes.

- For domestic chemicals and swimming pool additives.

▲ Minimum Value Required ANSI A137.1 - 2012 > 0,42.

◆ Value Required ANSI A137.1-2012 WA≤ 0,5%.



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie