



Italian Tile & Stone
tiles.ie



FLOW



www.tiles.ie



Italian Tile & Stone
tiles.ie



Italian Tile & Stone
tiles.ie

ASH P 08

TAUPE P 28

PEARL P 38

PEPPER P 46



FLOW

FLOW is devoted to the many expressive forms of concrete, reproducing this material's surface in three different versions as part of a sophisticated industrial moodboard.

BASE recreates the soft sensation of a skimmed concrete surface.

FORM is inspired by the highly directional, three-dimensional look of concrete cast in formwork.

METAL reproduces the distinctive appeal of vintage reinforced concrete with rusted iron rebars.

FLOW

SIZES AND COLORS

FULL BODY COLORED PORCELAIN SLABS

7 mm



160x320
64"x128"



120x270
48"x108"



160x160
64"x64"

WIDE
SUPERSIZE SLABS

FULL BODY COLORED PORCELAIN TILES

9 mm



80x160
32"x 64"



120x120
48"x 48"



60x120
24"x 48"



30x120
12"x 48"



80x80
32"x 32"



60x60
24"x 24"

FULL BODY COLORED PORCELAIN TILES

OUTDOOR R11

9 mm



60x60
24"x 24"



20x40
8"x 16"

20 mm



60x120
24"x 48"





floor
 FLOW
 FORM ASH 120x120



wall
FLOW
FORM ASH 120x270

floor
FLOW
FORM ASH 120x120



OUTDOOR

wall
FLOW
FORM ASH 120x270

floor
FLOW
FORM ASH 20 60x120, 20 mm

INDOOR

floor
FLOW
FORM ASH 120x120



wall
FLOW
BASE PEPPER 120x270

right wall
FLOW
FORM ASH 120x270

left wall
WIDE&STYLE
BALOON C 160x320

floor
FLOW
FORM ASH 20 60x120, 20 mm



INDOOR

floor
FLOW
BASE ASH 120x120

OUTDOOR

floor
FLOW
BASE ASH 20 60x120, 20 mm



INDOOR

wall
FLOW
FORM ASH 120x270

floor
FLOW
BASE ASH 120x120

OUTDOOR

floor
FLOW
BASE ASH 20 60x120, 20 mm



wall
 FLOW
 FORM ASH 120x270

floor
 FLOW
 BASE ASH 120x120





wall
 FLOW
 METAL ASH 120x270

floor
 FLOW
 BASE ASH 60x120





wall
 LAB325
 METAL ASH 120x270

INTERNO9
 RUST 120x240

top
 INTERNO9
 RUST

floor
 LAB325
 BASE ASH 60x120



wall
 FLOW
 BASE ASH 120x270

shower
 FLOW
 BASE ASH 60x120

floor
 FLOW
 BASE ASH 60x120

TAUPE



FLOW
METAL TAUPE 120x270



VIOLA
FLOWER BOUTIQUE



floor
 FLOW
 BASE TAUPE 80x80



wall
 FLOW
 BASE SLIM PACK TAUPE Rett.



wall
 FLOW
 BASE TAUPE 60x120

volume
 FLOW
 FORM TAUPE 60x120



floor
 FLOW
 FORM TAUPE 60x120, 20 mm



floor
 FLOW
 BASE TAUPE 120x120

PEARL




wall
FLOW
FORM PEARL 120x270



wall
 FLOW
 FORM PEARL 120x270

floor
 FLOW
 BASE PEARL 60x120





wall
FLOW
BASE PEARL 80x160


FLOW
FORM PEARL 60x120



wall
 FLOW
 BASE PEARL 80x160

FLOW
 FORM PEARL 60x120

PEPPER





wall
 FLOW
 FORM PEPPER 120x240

floor
 FLOW
 BASE PEPPER 60x120



wall
 FLOW
 FORM PEPPER 120x270

floor
 FLOW
 BASE PEPPER 60x120



wall
FLOW
BASE SLIM PACK PEPPER Rett.

shower wall
FLOW
BASE PEPPER 120x270

floor
FLOW
BASE PEPPER 60x60



wall
FLOW
BASE SLIM PACK PEPPER Rett.

floor
FLOW
BASE PEPPER 60x60




wall
FLOW
FORM PEPPER 30x120

FLOW

BASE PEARL

120x270 rett.	F 132,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
80x160 rett.	F 102,90
80x80 rett.	F 68,90
60x60 rett.	F 53,90




FLOW BASE PEARL SLIM PACK rett.
mix sizes rett. F 101,90

- Pcs/box:
- A 7,5x60 4
 - B 7,5x40 4
 - C 7,5x20 4
 - D 7,5x30 4
 - E 7,5x40 Diagonale Sx 1
 - F 7,5x20 Diagonale Dx 1
 - G 7,5x20 Diagonale Sx 1
 - H 7,5x40 Diagonale Dx 1

1 4 = 0,54 mq

BATTISCOPA rett. 5,5x60 10	PZ 7,90
BATTISCOPA rett. 5,5x80 8	PZ 8,90
GRADONE TOP rett. 32x120x4,5x2 1	PZ 172,90
ANG. TOP SX rett. 32x120x4,5x2 1	PZ 198,90
ANG. TOP DX rett. 32x120x4,5x2 1	PZ 198,90



FULL BODY COLORED PORCELAIN SLABS




120x270

FLOW

BASE ASH

160x320 rett.	F 168,90
120x270 rett.	F 132,90
160x160 rett.	F 152,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
80x160 rett.	F 102,90
80x80 rett.	F 68,90
60x60 rett.	F 53,90




FLOW BASE ASH SLIM PACK rett.
mix sizes rett. F 101,90

- Pcs/box:
- A 7,5x60 4
 - B 7,5x40 4
 - C 7,5x20 4
 - D 7,5x30 4
 - E 7,5x40 Diagonale Sx 1
 - F 7,5x20 Diagonale Dx 1
 - G 7,5x20 Diagonale Sx 1
 - H 7,5x40 Diagonale Dx 1

1 4 = 0,54 mq

BATTISCOPA rett. 5,5x60 10	PZ 7,90
BATTISCOPA rett. 5,5x80 8	PZ 8,90
GRADONE TOP rett. 32x120x4,5x2 1	PZ 172,90
ANG. TOP SX rett. 32x120x4,5x2 1	PZ 198,90
ANG. TOP DX rett. 32x120x4,5x2 1	PZ 198,90




120x270

FLOW

BASE TAUPE

120x270 rett.	F 132,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
80x160 rett.	F 102,90
80x80 rett.	F 68,90
60x60 rett.	F 53,90




FLOW BASE TAUPE SLIM PACK rett.
mix sizes rett. F 101,90

Pcs/box: A 7,5x60 ☞ 4
B 7,5x40 ☞ 4
C 7,5x20 ☞ 4
D 7,5x30 ☞ 4
E 7,5x40 Diagonale Sx ☞ 1
F 7,5x20 Diagonale Dx ☞ 1
G 7,5x20 Diagonale Sx ☞ 1
H 7,5x40 Diagonale Dx ☞ 1

1 ☞ = 0,54 mq

BATTISCOPA rett. 5,5x60 ☞ 10	PZ 7,90
BATTISCOPA rett. 5,5x80 ☞ 8	PZ 8,90
GRADONE TOP rett. 32x120x4,5x2 ☞ 1	PZ 172,90
ANG. TOP SX rett. 32x120x4,5x2 ☞ 1	PZ 198,90
ANG. TOP DX rett. 32x120x4,5x2 ☞ 1	PZ 198,90



7 mm

9 mm

9 mm

9 mm


120x270

FULL BODY COLORED PORCELAIN SLABS

FLOW

BASE PEPPER

160x320 rett.	F 168,90
120x270 rett.	F 132,90
160x160 rett.	F 152,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
80x160 rett.	F 102,90
80x80 rett.	F 68,90
60x60 rett.	F 53,90




FLOW BASE PEPPER SLIM PACK rett.
mix sizes rett. F 101,90

Pcs/box: A 7,5x60 ☞ 4
B 7,5x40 ☞ 4
C 7,5x20 ☞ 4
D 7,5x30 ☞ 4
E 7,5x40 Diagonale Sx ☞ 1
F 7,5x20 Diagonale Dx ☞ 1
G 7,5x20 Diagonale Sx ☞ 1
H 7,5x40 Diagonale Dx ☞ 1

1 ☞ = 0,54 mq

BATTISCOPA rett. 5,5x60 ☞ 10	PZ 7,90
BATTISCOPA rett. 5,5x80 ☞ 8	PZ 8,90
GRADONE TOP rett. 32x120x4,5x2 ☞ 1	PZ 172,90
ANG. TOP SX rett. 32x120x4,5x2 ☞ 1	PZ 198,90
ANG. TOP DX rett. 32x120x4,5x2 ☞ 1	PZ 198,90



7 mm

9 mm

9 mm

9 mm

120x270



Italian Tile & Stone
tiles.ie

WIDE
SUPERSIZE SLABS




FORM PEARL

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	



FORM TAUPE

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	




FORM ASH

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	




FORM PEPPER

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	



METAL ASH

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	



METAL TAUPE

120x270 rett.	F 132,90	7 mm
120x120 rett.	F 102,90	9 mm
60x120 rett.	F 68,90	
30x120 rett.	F 68,90	



0,5x120 4
MATITA ALLUMINIO
PZ 20,90



0,5x120 4
MATITA ALLUMINIO WHITE
PZ 34,90



0,5x120 4
MATITA ALLUMINIO BLACK
PZ 34,90



0,5x120 4
MATITA ALLUMINIO RAME
PZ 34,90




0,5x120 4
MATITA ALLUMINIO BRONZO
PZ 34,90

Aluminium strip for use between wall tiles of
different thicknesses (9 mm / 7 mm)

OUTDOOR R11 P3


9 mm

BASE PEARL GRIP




60x60 3
BASE PEARL GRIP
F 53,90

BASE ASH GRIP




60x60 3
BASE ASH GRIP
F 53,90

BASE TAUPE GRIP



60x60 3
BASE TAUPE GRIP
F 53,90

BASE PEPPER GRIP



60x60 3
BASE PEPPER GRIP
F 53,90

OUTDOOR R11

9 mm

FORM ASH



20x40 15
FORM ASH
F 33,90

FORM TAUPE



20x40 15
FORM TAUPE
F 33,90



15x30x3,5 8
ELEMENTO L MONOL.
FORM ASH
PZ 14,90
FORM TAUPE
PZ 14,90




FLOW

OUT.20

R11


BASE ASH 20



60x120
FLOW BASE ASH 20

1
F 89,90


BASE TAUPE 20



60x120
FLOW BASE TAUPE 20

1
F 89,90


FORM ASH 20



60x120
FLOW FORM ASH 20


1
F 89,90

FORM TAUPE 20



60x120
FLOW FORM TAUPE 20

1
F 89,90




floor
FLOW
FORM ASH 20 60x120, 20 mm




FULL BODY COLORED PORCELAIN TILES


20 mm

FLOW




Italian Tile & Stone
tiles.ie


SPECIAL TRIMS			
		BASE ASH 20mm	BASE TAUPE 20mm
	ELEMENTO L 15x60x5 PZ 88,90 2	-	-
	GRIGLIA 15x60 PZ 168,90 4	-	-
	ANG. GRIGLIA SX 15x60 PZ 228,90 4	-	-
	ANG. GRIGLIA DX 15x60 PZ 228,90 4	-	-




TRADITIONAL INSTALLATION
traditional installation is ideal for floorings that will be driven over by vehicles.




DRY INSTALLATION ON GRAVEL
Installing on gravel enables perfect drainage of rainwater.



DRY INSTALLATION ON GRASS
Installing directly on top of grass enables the creation of paths and walkways that blend in perfectly with the surroundings.



DRY INSTALLATION ON SAND
Installing on top of sand is ideal for creating paths and walkways on beaches and beach bars.



OUTDOOR RAISED LAYING SYSTEM
The raised floor system foresees the use of self-levelling, adjustable or fixed load bearing supports that easily adapt to the floor below in total safety. The system is suitable to create laying designs with variable heights from the ground, which range between 25 and 270 mm. The independence of the flooring from the supports guarantees the absorption of any structural movements. The raised system does not require a cement screed and reduces the load on the bearing structure. The open joints between the tiles allow rainwater to easily drain off, avoiding any risk of water accumulation or stagnation. The gap between the tread surface and the support surface favours ventilation and heat insulation. This solution allows for the installation of systems and piping in the gap, which can be easily inspected even once the floor has been installed.

P 60

P 61

WIDE

SUPERSIZE SLABS

▼ LITE
7 MM THICKNESS
▲ STRONG
CONTINUA+ DRY COMPACTION



CERAMIC R-EVOLUTION

WIDE collection consists of tough yet lightweight porcelain slabs with a thickness of just 7 mm and a record size of 160x320 cm produced using the revolutionary CONTINUA+ technology. The new pressing system involves dry compaction of raw materials and is able to produce surfaces that combine excellent aesthetic quality with outstanding technical performance.

WIDE & STRONG

WIDE is ideal as both a floor and wall covering in residential and commercial projects. The 7 mm thickness enables it to maintain excellent breaking strength in real situations.

LITE GOES WIDE

The 7 mm thickness results in a reduced weight per square metre, bringing significant advantages in terms of ease of working and handling.

WIDE IS LEVELING

The combination of a body with high plasticity, thickness and dimensions makes for a highly elastic product that delivers consistently flawless results.

EASY AS WIDE

The chemical formulation of the body combined with the raw material dry compaction process produces a porcelain slab that is easy to cut and work with.

WIDE MEANS GREEN

As the body contains a minimum of 40% high-quality raw materials recycled from other production processes, WIDE collection products qualify for LEED international certification.

BREAKING STRENGHT	WEIGHT				
9 mm = 1.662 newton 7mm = 1.587 newton 6 mm = 1.166 newton	9 mm = 19,5 Kg x mq 7 mm = 17,5 Kg x mq	flexibility index	maximum deflection under load of 350 N	length 2400 mm	> 50 mm
				length 3200 mm	> 100 mm

NEW DIMENSIONS

One of the aims of the WIDE project is to supply a hi-tech ceramic material that is easy to use in very different sizes and applications. WIDE comes in a large selection of sizes, all rectified, ideal for uses ranging from residential through to large-scale works in public and commercial spaces.

EVERYWHERE YOU LIKE

Taking account of the material's key qualities, including strength, thermal shock resistance, low thickness and ease of working, the WIDE large-format slabs extend the fields of use of porcelain. The WIDE collection has fewer joints while giving enormous creative freedom to architects and interior designers, who appreciate the versatility of this ceramic surface without limits.

INDOOR FLOORS

INDOOR WALLS

GLUED AND VENTILATED EXTERIOR FAÇADES


OUTDOOR FLOORS

KITCHEN COUNTERTOPS

BATHROOM VANITY TOPS AND SHELVES

INTERIOR FURNISHING AND DESIGN ELEMENTS

SUM PACK
LAYING EXAMPLE (1 BOX = 0,54 mq)



Colored joint example

FLOW

PACKAGING





Nominal size (cm)	Work size (mm)	Thickness	Type of packing	Slabs/Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Sqm total	Kg/Packing	Kg total
160x320 rett. 64"x128" rett.	1596,5x3195	7 mm	Crate	15	-	-	-	-	76,80	139	1.483
			Container Rack pallet	36	-	-	-	-	184,32	180	3.406
120x270 rett. 48"x108" rett.	1194x2700	7 mm	Crate	20	-	-	-	-	64,80	112	1.246
			Rack pallet	40	-	-	-	-	129,60	115	2.383
			Container Rack pallet	36	-	-	-	-	116,64	130	2.171
160x160 rett. 64"x64" rett.	1596,5x1596,5	7 mm	Crate	15	-	-	-	-	38,40	75	747
			Crate	30	-	-	-	-	76,80	139	1.483
			Container Rack pallet	36	-	-	-	-	92,16	95	1.708
80x160 rett. 32"x64" rett.	797,25x1596,5	9 mm	Rack pallet	44	2	2,56	49,00	22	56,32	70	1.168
			Pallet with sides	44	2	2,56	49,00	22	56,32	40	1.138
120x120 rett. 48"x48" rett.	1194x1194	9 mm	Rack pallet	48	2	2,88	56,16	24	69,19	70	1.417
			Pallet with sides	36	2	2,88	56,16	18	51,84	40	1.050
60x120 rett. 24"x48" rett.	596x1194	9 mm	Pallet	52	2	1,44	27,20	26	37,44	-	748
30x120 rett. 12"x48" rett.	297x1194	9 mm	Pallet	72	4	1,44	27,20	18	25,92	-	509
80x80 rett. 32"x32" rett.	797,25x797,25	9 mm	Pallet	96	2	1,28	25,00	48	61,44	-	1.213
60x60 rett. 24"x24" rett.	596x596	9 mm	Pallet	120	3	1,08	21,20	40	43,20	-	868
20x40 8"x16"	-	9 mm	Pallet	960	15	1,20	21,00	64	76,80	-	1364
60x120 rett. 24"x48"	600x1200	20 mm	Pallet	30	1	0,72	32,65	30	21,60	-	1.000

* Available from September 2018

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box. Data referring to packaging have been update at time of printing; the actual data may be slightly different. Due to working process special trims and decors, may show variation in tonality.

TECHNICAL FEATURES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group B1a

FULL BODY COLORED PORCELAIN STONEWARE SLABS	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE FLOW 7+9 mm	VALUE FLOW 20x40 + 20 mm
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF	FROST PROOF
SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
			> 0,60 WET	> 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012	≥ 0,42	> 0,42	> 0,42
SHADE VARIATION	V2	<div><div>uniform appearance V1</div><div>slight variation V2</div><div>moderate variation V3</div><div>substantial variation V4</div></div>		

Colour reproduction approximate.



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie