



Italian Tile & Stone
tiles.ie

NATURAL SLATE

www.tiles.ie





an material of primeval charm
yet contemporary
deep and intense textures
that recall
hints of natural elements
and moods of far away lands



a small collection of
ceramics
in three nuances

winter

natural slate® collection

elegant and bright
gives the space
a nordic feel
of pure hamonies





autumn

soft and downy
evokes
the warm and precious tones
of autumnal underwoods





multicolor

variegated and intense
its rich and profound hues
give space
depth and texture





multicolor
brick





winter



autumn



multicolor



multicolor
brick



colours



multicolor



autumn



winter

decors



brick multicolor



brick autumn



brick winter



mosaico multicolor



mosaico autumn



mosaico winter



muretto multicolor



muretto autumn



muretto winter

sizes

formats

superficie sand



40.8 x 61.4
16" x 24"


55

superficie naturale



40.8 x 61.4
16" x 24"

54



45.8 x 45.8
18" x 18"

50



30.5 x 30.5
12" x 12"


46



15 x 15
6" x 6"

55


brick



30 x 30
12" x 12"

20


mosaico



30.5 x 30.5
12" x 12"

140


muretto



20.5 x 45
8 1/4" x 17 3/4"


31

special items




gradone angolare
30.5 x 30.5
12" x 12"

68




gradone
30.5 x 30.5
12" x 12"

44




gradino
30.5 x 30.5
12" x 12"

16




battiscopa smaltato
10 x 61.4
4" x 24"

14



elemento a L
40 x 16
16" x 6 1/4"

39














battiscopa smaltato
7 x 30.5
2 3/4" x 12"

7

elemento a L sand
40 x 16
16" x 6 1/4"

40

technical features					packing										
					size	thickness	pcs./box	sqm./box	kgs/box	box/pal	sqm/pal	kq/pl			
	water absorption	<0,5%	 I	thickness	≠ 10mm	fondo nat./sand	40,8x61,4	10	5	1,25	25,20	48	60,14	1210	
						fondo naturale	45,8x45,8	10	6	1,26	25,40	48	60,48	1220	
						fondo naturale	30,5x30,5	10	12	1,12	21,50	48	53,57	1032	
						fondo naturale	15x15	10	44	1,00	19,30	60	60,00	1158	
						brick	30x30	6		10,70					
	breaking strenght	35 N/mm²		superficie naturale DIN51097 DIN51130 static coefficient of friction ASTM C1028	A R10 dry ≥ 0.88 wet ≥ 0.62	mosaico	30,5x30,5		11	1,02	19,70	54	55,24	1064	
						muretto	20,5x45	7		13,00					
						gradino	30,5x30,5	12		20,16					
						gradone	30,5x30,5	6		13,92					
						angolare	30,5x30,5	2		4,52					
						battiscopa smaltato	10x61,4	12		20,00					
						battiscopa smaltato	7x30,5	30		12,50					
						elemento L nat/sand	40x16	3		7,00					
	resistance to acid	GLA		superficie sand DIN51097 DIN51130 static coefficient of friction ASTM C1028	A+B+C R12 dry ≥ 0.97 wet ≥ 0.89										
	frost resistance	frost proof		color shade variations	autumn / winter V3 moderate variation										
	stain resistance	5		color shade variations	multicolor V4 substantial variation										
	hardness in Mohs degrees	UNI EN 101 ≥ 6													

The indicated weight includes the supporting pallet

The indicated weight includes the supporting pallet



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie