




Italian Tile & Stone  
tiles.ie

soul

THINGS  
ARE  
NEVER  
THE  
SAME

[www.tiles.ie](http://www.tiles.ie)



Italian Tile & Stone  
tiles.ie

## I N D E X

GREY	IVORY	ROPE	TAUPE	CLAY	SAGE	JADE
P6	P14	P20	P26	P30	P34	P38

# soul

T H I N G S  
A R E  
N E V E R  
T H E  
S A M E

THE TRACES LEFT BY THE  
PASSAGE OF TIME AND  
DAILY LIFE CREATE AN  
AUTHENTIC CONNECTION  
BETWEEN THE  
ARCHITECTURE OF A SPACE  
AND ITS HISTORY. INSPIRED  
BY THE AESTHETICS OF  
DECAYING PLASTER, ABK  
IS PRESENTING GHOST,  
THE PORCELAIN TILE  
COLLECTION THAT BRINGS  
TOGETHER MEMORIES  
OF PAST TIMES AND  
CONTEMPORARY STYLISTIC  
TRENDS.

soul

SIZES AND COLORS

WIDE  
SUPERSIZE SLABS

FULL BODY COLORED  
PORCELAIN SLABS

▼  
6 mm  
▲



120x270  
48"x108"

▼  
9 mm  
▲



120x120  
48"x 48"



60x120  
24"x 48"



30x120  
12"x 48"



90x90  
36"x 36"



60x60  
24"x 24"



30x60  
12"x 24"

▼  
8,5 mm  
▲



11,5x23  
4.6"x 9.2"

▼  
20 mm  
▲



90x90  
36"x 36"

R11



SOUL  
LAB325, BASE ASH



THINGS  
ARE  
NEVER  
THE  
SAME



soul GREY



floor  
SOUL  
GREY 60x120



floor  
SOUL  
GREY 60x120





wall  
 SOUL  
 GREY 120x270







wall  
SOUL  
OASIS 60x120

SOUL  
BOISERIE GREY/IVORY 60x120





# soul

I V O R Y



floor  
 SOUL  
 IVORY 90x90





floor  
SOUL  
IVORY 90x90





wall  
SOUL  
IVORY 120x270  
  
REVEAL IVORY 11,5x23





# soul ROPE




wall  
SOUL  
BOISERIE ROPE 120x270

floor  
SOUL  
ROPE 120x120







floor  
 SOUL  
 ROPE 120x120  
 outdoor floor  
 OUT 20 SOUL  
 ROPE 90x90 20 mm



wall  
**SOUL**  
 REVEAL ROPE 11,5x23



wall  
**SOUL**  
 BOISERIE ROPE / IVORY 60x120  
 ROPE 60x120  
 floor  
**SOUL**  
 TAUPE 60x120  
 washbasin  
**SOUL**  
 IVORY 120x270





# soul

TAUPE




floor  
 SOUL  
 TAUPE 60x60





floor  
SOUL  
TAUPE 60x60





# soul

CLAY



floor  
SOUL  
CLAY 60x120





floor  
GHOST  
CLAY 60x120





# soul

S A G E



wall  
SOUL  
SAGE 60x120



wall  
SOUL  
OASIS 60x120

floor  
SOUL  
SAGE 60x120



wall  
SOUL  
OASIS 60x120

floor  
SOUL  
SAGE 60x120





# soul

J A D E



wall  
SOUL  
GREY 120x270

floor  
SOUL  
JADE 60x120







wall  
SOUL  
JADE 60x120





# soul

## IVORY

* 120x270 rett.	F 132,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
30x120 rett.	F 68,90
90x90 rett.	F 75,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

▼  
6 mm

▼  
9 mm



## GREY

* 120x270 rett.	F 132,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
30x120 rett.	F 68,90
90x90 rett.	F 75,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

▼  
6 mm

▼  
9 mm



\* The item will be delivered 7 mm thick until stocks are exhausted.

FULL BODY COLORED PORCELAIN SLABS

# soul

## ROPE

* 120x270 rett.	F 132,90
120x120 rett.	F 102,90
60x120 rett.	F 68,90
30x120 rett.	F 68,90
90x90 rett.	F 75,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

▼  
6 mm

▼  
9 mm



\* The item will be delivered 7 mm thick until stocks are exhausted.

FULL BODY COLORED PORCELAIN SLABS



# soul

FULL BODY COLORED PORCELAIN SLABS

## SAGE

60x120 rett.	F 68,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

9 mm



## JADE

60x120 rett.	F 68,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

9 mm



# soul

## CLAY

60x120 rett.	F 68,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

9 mm



## TAUPE

60x120 rett.	F 68,90
60x60 rett.	F 53,90
30x60 rett.	F 49,90

9 mm



Italian Tile & Stone  
tiles.ie

FULL BODY COLORED PORCELAIN SLABS



BOISERIE IVORY



\* 120x270 rett. F 149,90 6 mm

BOISERIE GREY/IVORY



60x120 rett. F 81,90 9 mm

\* The item will be delivered 7 mm thick until stocks are exhausted.

BOISERIE GREY



\* 120x270 rett. F 149,90 6 mm

BOISERIE ROPE/IVORY



60x120 rett. F 81,90 9 mm

BOISERIE ROPE



\* 120x270 rett. F 149,90 6 mm

OASIS



60x120 rett. F 81,90 9 mm

REVEAL IVORY



11,5x23 rett. F 61,90 8,5 mm

REVEAL ROPE



11,5x23 rett. F 61,90 8,5 mm



SOUL REVEAL GREY 11,5x23

REVEAL GREY




11,5x23 rett. F 61,90 8,5 mm



SOUL REVEAL GREY 11,5x23 - GREY 120x270, 120x120






0,5x120

MATITA ALLUMINIO

PZ 20,90



4



0,5x120

MATITA ALLUMINIO WHITE

PZ 34,90



4




0,5x120

MATITA ALLUMINIO BLACK

PZ 34,90




4



0,5x120

MATITA ALLUMINIO RAME

PZ 34,90



4



0,5x120

MATITA ALLUMINIO BRONZO

PZ 34,90



4

Aluminium strip for use between wall tiles of different thicknesses (9 mm / 7 mm).


OUT.20 R 11



90x90

SOUL GREY 20

F 101,90




1



90x90











SOUL ROPE 20











F 101,90



1

20 mm

DECORATIVE									
	MOS. QUADRETTI ret. 30x30 F 101,90		6	-	-	-	-	-	-

SPECIAL TRIMS			IVORY	GREY	ROPE	CLAY	SAGE	JADE	TAUPE
	BATTISCOPA rett. 5,5x120 PZ 10,90	 6	-	-	-	-	-	-	-
	GRADONE TOP rett. 32x120x4,5x2 PZ 172,90	 1	-	-	-	-	-	-	-
	ANGOLARE TOP SX 32x120x4,5x2 PZ 198,90	 1	-	-	-	-	-	-	-
	ANGOLARE TOP DX 32x120x4,5x2 PZ 198,90	 1	-	-	-	-	-	-	-
	GRADONE JOLLY 40x120x20 PZ 172,90	 1	-	-	-	-	-	-	-

ADVICE FOR LAYING



TRADITIONAL INSTALLATION traditional installation is ideal for floorings that will be driven over by vehicles.



DRY INSTALLATION ON GRAVEL Installing on gravel enables perfect drainage of rainwater.



DRY INSTALLATION ON GRASS Installing directly on top of grass enables the creation of paths and walkways that blend in perfectly with the surroundings.



DRY INSTALLATION ON SAND Installing on top of sand is ideal for creating paths and walkways on beaches and beach bars.



OUTDOOR RAISED LAYING SYSTEM The raised floor system foresees the use of self-levelling, adjustable or fixed load bearing supports that easily adapt to the floor below in total safety. The system is suitable to create laying designs with variable heights from the ground, which range between 25 and 270 mm. The independence of the flooring from the supports guarantees the absorption of any structural movements. The raised system does not require a cement screed and reduces the load on the bearing structure. The open joints between the tiles allow rainwater to easily drain off, avoiding any risk of water accumulation or stagnation. The gap between the tread surface and the support surface favours ventilation and heat insulation. This solution allows for the installation of systems and piping in the gap, which can be easily inspected even once the floor has been installed.




WIDE

SUPERSIZE SLABS


CERAMIC R-EVOLUTION

WIDE collection consists of tough yet lightweight porcelain slabs with a thickness of just 6 and 7 mm and a record size of 160x320 cm produced using the revolutionary CONTINUA+ technology.The new pressing system involves dry compaction of raw materials and is able to produce surfaces that combine excellent aesthetic quality with outstanding technical performance.




**WIDE & STRONG**

WIDE is ideal as both a floor and wall covering in residential and commercial projects.The 6 and 7 mm thickness enables it to maintain excellent breaking strength in real situations.




**LITE GOES WIDE**

The The 6 and 7 thickness results in a reduced weight per square metre, bringing significant advantages in terms of ease of working and handling.




**WIDE IS LEVELING**

The combination of a body with high plasticity, thickness and dimensions makes for a highly elastic product that delivers consistently flawless results.



**EASY AS WIDE**

The chemical formulation of the body combined with the raw material dry compaction process produces a porcelain slab that is easy to cut and work with.



**WIDE MEANS GREEN**

As the body contains a minimum of 40% high-quality raw materials recycled from other production processes, WIDE collection products qualify for LEED international certification.

WEIGHT

9 mm = 19,5 Kg x mq  
7 mm = 17,5 Kg x mq  
6 mm = 15,0 Kg x mq

flexibility index	maximum deflection under load of 350 N	lenght 2400 mm	> 50 mm
		lenght 2700 mm	> 70 mm
		lenght 3200 mm	> 100 mm

NEW DIMENSIONS

One of the aims of the WIDE project is to supply a hi-tech ceramic material that is easy to use in very different sizes and applications. WIDE comes in a large selection of sizes, all rectified, ideal for uses ranging from residential through to large-scale works in public and commercial spaces.

EVERYWHERE YOU LIKE

Taking account of the material’s key qualities, including strength, thermal shock resistance, low thickness and ease of working, the WIDE large-size slabs extend the fields of use of porcelain.The WIDE collection has fewer joints while givingenormous creative freedom to architects and interior designers, who appreciate the versatility of this ceramic surface without limits.




INDOOR FLOORS



INDOOR WALLS



GLUED AND VENTILATED  
EXTERIOR FAÇADES



OUTDOOR FLOORS



KITCHEN COUNTERTOPS



BATHROOM VANITY TOPS  
AND SHELVES



INTERIOR FURNISHING  
AND DESIGN ELEMENTS

soul





PACKAGING

Nominal size	Finish	Thickness	Work size (mm)	Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/ Packing	Pcs Total	Sqm total	Kg Packing	Kg Total
120x270 48"x108"	rett	6	1194x2700	Crate	-	-	-	-	18	58,32	112	987
				Rack pallet	-	-	-	-	36	116,64	115	1.865
				Container Rack pallet	-	-	-	-	36	116,64	130	1.880
120x120 48"x48"	rett.	9	1194x1194	Pallet with sides	2	2,88	56,16	18	36	51,84	40	1.051
90x90 36"x36"	rett.	9	900x900	pallet	2	1,62	36,50	20	40	32,40	20	750
60x120 24"x48"	rett.	9	596x1194	pallet	2	1,44	28,00	30	60	43,20	20	860
30x120 12"x48"	rett.	9	297x1194	pallet	4	1,44	28,00	36	144	51,84	20	1.028
60x60 24"x24"	rett.	9	596x596	pallet	3	1,08	21,20	40	120	43,20	20	868
30x60 12"x24"	rett.	9	297x596	pallet	6	1,08	21,20	40	240	43,20	20	868
11,5x23 4,6"x9,2"	nat.	8,5	-	pallet	1216	16	0,43	8,60	76	32,68	20	674
90x90 36"x36"	rett.	20	896x896	pallet	1	0,81	36,60	30	30	24,30	20	1.118

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box.  
Data referring to packaging have been update at time of printing; the actual data may be slightly different.  
Due to working process special trims and decors, may show variation in tonality.

TECHNICAL FEATURES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla

FULL BODY COLORED PORCELAIN SLABS	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE SOUL	VALUE SOUL 20 mm
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF	FROST PROOF
	B.C.R.A. C.A.	$\mu$ 0,19 - DANGEROUSLY SUPPERY 0,20 < $\mu$ < 0,39 - EXCESSIVELY SUPPERY 0,40 < $\mu$ < 0,74 - SATISFACTORY GRIP $\mu$ 0,75 - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
SLIP RESISTANCE	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012	$\geq$ 0,42	> 0,42	> 0,42
SHADE VARIATION	V2	<div>uniform appearance V1</div> <div>slight variation V2</div> <div>moderate variation V3</div> <div>substantial variation V4</div>		

Colour reproduction approximate.





# Italian Tile & Stone

---

## TERENURE SHOWROOM

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88  
**T** 01 492 4891  
**E** info@tiles.ie

## COMMERCIAL DIVISION

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88  
**T** 01 907 3700  
**E** commercial@tiles.ie

## SWORDS SHOWROOM

---

Italian Tile and Stone  
6 Town Centre Mall, Main Street  
Swords, Co. Dublin, K67 CD86 **T** 01  
840 5057  
**E** swords@tiles.ie

---

[www.tiles.ie](http://www.tiles.ie)