



Italian Tile & Stone
tiles.ie

The Fragments

COLLECTION

www.tiles.ie

The Fragments is the new range of Italian Tile and Stone porcelain stoneware, reinterpreting the current urban design trends that bring life to a conceptually new space that fully embodies the modern identity of the city.

From industrial districts to traditional homes, passing through the most significant contemporary architectures, The Fragments narrates every element of urban history, offering it to the whole world in this essential and extremely versatile range.

The material simplicity of concrete combines with the sophistication of a colour range in four shades, offering the perfect blend of matter and colour.

The Fragments

COLLECTION



production
industrial

thickness
10 mm

usi - use
housing environments, bathrooms or refined commercial locations as well as public spaces.

sizes
120x120 - 60x120 - 60x60 - 30x60 - 45x90 - 80x80




decoration
mosaico - hexagon - plank

complementary pieces
battiscopa smaltato - gradino - gradone - gradone angolare - elemento a L

4

SOOT

NEW YORK Manhattan



TALC




PARIGI Rue La Fayette

CINDER

BERLINO Palazzo del Reichstag



FLINT



SYDNEY Opera House



Italian Tile & Stone
tiles.ie


5



FRAGMENTS CINDER
80 x 80 | 32" x 32"



01 CINDER



The profound embrace between architecture and the environment







FRAGMENTS CINDER
 80 x 80 | 32" x 32"
FRAGMENTS TALC PLANK
 30 x 60 | 12" x 24"

PLANK

30 x 60 | 12" x 24"



TALC



FLINT



CINDER



SOOT



FRAGMENTS CINDER
120 x 120 | 48" x 48"
FRAGMENTS FLINT
30 x 60 | 12" x 24"









FRAGMENTS FLINT
60 x 120 | 24" x 48"



Italian Tile & Stone
tiles.ie

19

02 FLINT



The skilful blend of art and technique





FRAGMENTS FLINT HEXAGON
30 x 34 | 12" x 13"



HEXAGON

30 x 34 | 12" x 13"



TALC



FLINT



CINDER



SOOT



FRAGMENTS FLINT
120 x 120 | 48" x 48"







03 SOOT



Matter and engineering in perfect harmony

**FRAGMENTS SOOT**

60 x 60 | 24" x 24"

FRAGMENTS SOOT PLANK

30 x 60 | 12" x 24"



FRAGMENTS SOOT

60 x 60 | 24" x 24"

FRAGMENTS SOOT PLANK

30 x 60 | 12" x 24"



FRAGMENTS TALC
45 x 90 | 18" x 36"



04 TALC



The precious dialogue between tradition and innovation

**FRAGMENTS TALC**

45 x 90 | 18" x 36"

FRAGMENTS TALC MOSAICO

30 x 30 | 12" x 12"



MOSAICO


30 x 30 | 12" x 12"



TALC



FLINT



CINDER



SOOT

FRAGMENTS TALC MOSAICO
30 x 30 | 12" x 12"



FRAGMENTS CINDER
60 x 120 | 24" x 48"

TECHNICALS

TALC



6 sizes



4 colors



10 mm




rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"




rettificato

30 x 60 | 12" x 24"



rettificato

80 x 80 | 32" x 32"




rettificato

45 x 90 | 18" x 36"




HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

FLINT



6 sizes



4 colors



10 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"



rettificato

80 x 80 | 32" x 32"



rettificato

45 x 90 | 18" x 36"




HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

CINDER



6 sizes



4 colors



10 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"



rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"



rettificato

80 x 80 | 32" x 32"




rettificato

45 x 90 | 18" x 36"



HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"



PLANK

30 x 60 | 12" x 24"

SOOT



6 sizes



4 colors



10 mm



rettificato

120 x 120 | 48" x 48"



rettificato | grip

60 x 120 | 24" x 48"




rettificato

60 x 60 | 24" x 24"



rettificato

30 x 60 | 12" x 24"



rettificato

80 x 80 | 32" x 32"



rettificato

45 x 90 | 18" x 36"



HEXAGON

30 x 34 | 12" x 13"



MOSAICO
36 tessere
tessera 5 x 5

30 x 30 | 12" x 12"




PLANK

30 x 60 | 12" x 24"


TECHNICAL INFORMATION & PLUS

SIZES




RETTIFICATO

$\frac{120 \times 120}{48'' \times 48''}$




RETTIFICATO

$\frac{45 \times 90}{18'' \times 36''}$




RETTIFICATO

$\frac{80 \times 80}{32'' \times 32''}$




RETTIFICATO | GRIP

$\frac{60 \times 120}{24'' \times 48''}$



RETTIFICATO


$\frac{60 \times 60}{24'' \times 24''}$



RETTIFICATO


$\frac{30 \times 60}{12'' \times 24''}$

2THICK - 20mm




RETTIFICATO

$\frac{60 \times 120}{24'' \times 48''}$




MOSAICO

$\frac{30 \times 30}{12'' \times 12''}$



HEXAGON


$\frac{30 \times 34}{12'' \times 13''}$



PLANK

$\frac{30 \times 60}{12'' \times 24''}$


SPECIAL ITEMS



GRADINO
RETTIFICATO

$\frac{30 \times 60}{12'' \times 24''}$


$\frac{45 \times 90}{18'' \times 36''}$



ELEMENTO A L
RETTIFICATO

$\frac{30 \times 60 \times 5}{12'' \times 24'' \times 2''}$

$\frac{45 \times 90 \times 5}{18'' \times 36'' \times 2''}$




GRADONE COSTA RETTA
RETTIFICATO

$\frac{30 \times 60 \times 4}{12'' \times 24'' \times 1\frac{2}{3}''}$

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$


GRIP

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$



BATTISCOPA SMALTATO
RETTIFICATO

$\frac{7 \times 60}{3'' \times 24''}$



GRADONE ANGOLARE COSTA RETTA
RETTIFICATO











$\frac{30 \times 30 \times 4}{12'' \times 12'' \times 1\frac{2}{3}''}$

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$

GRIP

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$

TECHNICAL FEATURES

| | standards | characteristics or properties | declared values |
|---|--|--------------------------------|-----------------------|
|  | ISO 10545-3 | water absorption | <0.5% |
|  | ISO 10545-4 | (R) breaking strength | 35 N/mm ² |
|  | ISO 10545-13 | resistance to acid | GLA |
|  | ISO 10545-12 | frost resistance | frost proof |
|  | ISO 10545-14 | stain resistance | 4 |
|  | ISO 10545-2 | surface flatness | ±0.5% |
|  | | thickness | 10 mm |
|  | DIN 51097 DIN 51130 DCOF BOT3000 | static coefficient of friction | A+B R10 >0.42 |
|  | DIN 51097 DIN 51130 DCOF BOT3000 | static coefficient of friction | A+B+C R11 >0.42 |
|  | | color shade | V2 slight variation |

PACKING

| mm inch | | thickness | pcs/box | sqm/box | kgs/box | box/pal | sqm/pal | kgs/pal |
|--------------------------|--|-----------|---------|---------|---------|---------|---------|---------|
| 60x120 24"x48" | 2thick _ 20mm rettificato | 20 | 1 | 0.72 | 32.25 | 30 | 21.60 | 967.50 |
| 60x120 24"x48" | rettificato grip | 10 | 2 | 1.44 | 31.90 | 30 | 43.20 | 957.00 |
| 60x60 24"x24" | rettificato | 10 | 3 | 1.08 | 23.90 | 40 | 43.20 | 959.00 |
| 45x90 18"x36" | rettificato | 10 | 3 | 1.22 | 27.30 | 32 | 39.04 | 873.60 |
| 30x60 12"x24" | rettificato | 10 | 6 | 1.08 | 23.90 | 40 | 43.20 | 956.00 |
| 80x80 32"x32" | rettificato | 10 | 2 | 1.28 | 28.90 | 40 | 51.20 | 1156.00 |
| 120x120 48"x48" | rettificato | 10 | 1 | 1.44 | 33.00 | 30 | 43.20 | 990.00 |
| 30x30 12"x12" | mosaico | | 11 | 0.99 | 22.65 | 36 | 35.64 | 815.40 |
| 30x60 12"x24" | plank | | 5 | | 19.25 | | | |
| 30x30 12"x12" | hexagon | | 6 | | 12.90 | | | |
| 7x60 3"x24" | battiscopa smaltato rettificato | | 12 | | 12.60 | | | |
| 30x60 12"x24" | gradino rettificato | | 8 | | 33.84 | | | |
| 45x90 18"x36" | gradino rettificato | | 2 | | 19.10 | | | |
| 30x60x4 12"x24x1 2/3" | gradone costa retta rettificato | | 4 | | 17.60 | | | |
| 60x120x4 24"x48x1 2/3" | gradone costa retta rettificato grip | | 2 | | 17.40 | | | |
| 30x30x4 12"x12x1 2/3" | gradone angolare costa retta | | 2 | | 4.40 | | | |
| 60x120x4 24"x48x1 2/3" | gradone angolare costa retta grip | | 1 | | 18.20 | | | |
| 30x60x5 12"x24"x2" | elemento a L grip | | 4 | | 17.20 | | | |
| 45x90x5 18"x36"x2" | elemento a L grip | | 2 | | 21.70 | | | |

the indicated weight includes the supporting pallet

JOINT

por rectified material, we recommend a 2 mm grout at least when using one size only and a 3 mm grout for multisizes laying solution



FRAGMENTS CINDER
60 x 60 - 30 x 60 | 24" x 24" - 12" x 24"



FRAGMENTS SOOT
60 x 120 GRIP | 24" x 48" GRIP



ITALIAN TILE AND STONE

green 

The company is committed to the continued technological innovation of its processes to create products that increasingly meet the demands of the market and focus on:

- reduced energy consumption in production processes;
- reduced emissions into the air and water;
- improving consumer awareness and waste management.

To curb its environmental impact, Italian Tile and Stone has taken the following steps:

- manufacturing rejects are fully managed and reused;
- all the production units are equipped with a closed-circuit water purification plant with total recovery of liquid discharges coming from the production cycle and no discharges into the environment;
- emissions of gases are authorised by the competent authority, pollutant abatement systems are fitted and undergo periodic checks to verify they comply with the current laws;
- industrial waste is disposed of in compliance with the community directives;
- packaging is sent off to be recycled and reused;
- the acoustic impact on the environment is toned down via the use of suitable technologies.

The ceramic tiles produced are:

- a long-lasting product
- recyclable at the end of their use



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie