



Italian Tile & Stone
tiles.ie

Wood Fest

www.tiles.ie



Wood Fest

NATURAL

OAK

MAPLE

BROWN

SILVER



Wood Fest

Five sophisticated matt options, in two sizes **20x120 + 7.5x45**, endless veining effects and a surprisingly authentic, natural look: welcome to Fapnest. An enchanting surface, also conceived with the outdoors in mind, in the OUT version, which teams the seductive appeal of wood with the technology of porcelain stoneware.

IN
20x120
7,5x45

OUT
20x120



NATURAL






Floor: Wood Fest Natural

NATURAL
warm,
sophisticated
and inviting.

New traditional
yet contemporary
herringbone version



Floor: Wood Fest Natural




Italian Tile & Stone
tiles.ie

OAK







The flooring boasts a spontaneous, gentle elegance, featuring an interesting combination of the 20x120 staves with the mosaico Cube in the same wood effect. On the walls, the reflections of Carrara from the Amour Virtuoso collection and the wallpaper effect of the white body tiles of Milano & Wall, in the Moka shade, bring a flawless finish to the setting.







Italian Tile & Stone
tiles.ie

OAK OUT

The R11 finish of the OUT version is the perfect solution to bring a touch of beauty also to the outdoors.





OAK



MAPLE





Floor: Wood Fest Maple - Wall: Pat Deco Black, Wood Fest Maple Doga & Chevron

Tile with style

An inviting, sophisticated setting, characterised by the skilful use of laying patterns and sizes of Wood Fest Maple, teamed with the elegant, extra-contemporary Deco Black from the PAT collection.



A sophisticated raw wood effect for an instantly seductive, naturally contemporary look.



BROWN





Just cool



Wood Fest Brown + Milano Wall Salvia & Beige



SILVER





Luxury hospitality

The Silver option brings an extremely elegant decor look. The reception area, with the counter tiled in Statuario from the Amour Virtuoso collection, and the wall featuring Deco Black from the PAT collection, offers the resort's guests a




PORCELAIN STONEWARE TRIMS


DESTINATION OF USE




battiscopa sagomato



scalino



scalino Angolare




battiscopa



MOSAICO

PORCELAIN STONEWARE

SLASH + TRATTI + CUBE



PORCELAIN STONEWARE

20x120
77/8"x47 1/4"

THICKNESS 9 mm

RT

7,5x45
3"x18"

THICKNESS 9 mm



Wood Fest MapleV3

MATT _____ R 9



OUT _____ R 11 C(A+B+C)



MATT _____ R 9



Wood Fest NaturalV3

MATT _____ R 9



OUT _____ R 11 C(A+B+C)



MATT _____ R 9



Wood Fest OakV3

MATT _____ R 9



OUT _____ R 11 C(A+B+C)



MATT _____ R 9



Wood Fest BrownV3

MATT _____ R 9



OUT _____ R 11 C(A+B+C)



MATT _____ R 9



Wood Fest SilverV3

MATT _____ R 9



OUT _____ R 11 C(A+B+C)



MATT _____ R 9



	Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
1	1 Box	1,44	6	31,10	32
2	1 Box	0,877	26	19,00	56

MOSAICO



Wood Fest Maple Cube Mosaico* 37,5x43



Wood Fest Maple Slash Mosaico** 30x30



Wood Fest Maple Tratti Mosaico*** 20x40



Wood Fest Natural Cube Mosaico* 37,5x43



Wood Fest Natural Slash Mosaico** 30x30



Wood Fest Natural Tratti Mosaico*** 20x40



Wood Fest Oak Cube Mosaico* 37,5x43



Wood Fest Oak Slash Mosaico** 30x30



Wood Fest Oak Tratti Mosaico*** 20x40



Wood Fest Brown Cube Mosaico* 37,5x43



Wood Fest Brown Slash Mosaico** 30x30



Wood Fest Brown Tratti Mosaico*** 20x40



Wood Fest Silver Cube Mosaico* 37,5x43



Wood Fest Silver Slash Mosaico** 30x30




Wood Fest Silver Tratti Mosaico*** 20x40



4,5 x 24,2 cm



7,2 x 7,2 cm













































1,4 x 20 cm

	Sales unit	MQ./Box	PZ./Box	Kg/Box	Box/PL
1	1 Box	0,483	4	10,40	64
2	1 Box	0,54	6	10,20	60
3	1 Box	0,48	6	8,93	60
4	1 Box	6,00 ML	5	8,40	84
5	1 Box	-	8	-	-
6	1 Box	-	2	-	-





TRIMS

Wood Fest	MAPLE	NATURAL	OAK	BROWN	SILVER
 Battiscopa 7,5x120 RT 3"x47 1/4"	 4	 4	 4	 4	 4
 Battiscopa Sagomato DX 7,5x30 RT 3"x11 3/4"	 5	 5	 5	 5	 5
 Battiscopa Sagomato SX 7,5x30 RT 3"x11 3/4"	 5	 5	 5	 5	 5
 Scalino 20x120 RT 7 7/8"x47 1/4"	 6	 6	 6	 6	 6
 Scalino Angolare DX 20x20 RT 7 7/8"x7 7/8"	 6	 6	 6	 6	 6
 Scalino Angolare SX 20x20 RT 7 7/8"x7 7/8"	 6	 6	 6	 6	 6
 Elemento L OUT 20x120 RT 7 7/8"x47 1/4"	 6	 6	 6	 6	 6

INSTALLATION TIPS PORCELAIN STONEWARE


20x120 RT





rectified floor tiles must be laid with a 2-3 mm gap between them. For the laying outdoors we recommend a gap of 3 mm. For floors with a lengthwise tiling layout, maximum 1/3 offset between panels.

7,5x45



Fuga 3-5 mm / 3-5 mm gap

Fuga 3-5 mm / 3-5 mm gap




PORCELAIN STONEWARE - Standard EN 14411 (ISO 13006) Annex G Group Bla, E ≤ 0,5%

TECHNICAL SPECIFICATIONS			STANDARDS	VALUES REQUIRED EN 14411 - ISO 13006 Bla (UGL e GL)		AVERAGE RATING Bla UGL		
				NOT RECTIFIED	RECTIFIED	7,5x45	MATT	OUT
SIZES		Length and width	ISO 10545-2	± 0,6%, max 2 mm	± 0,3%, max 1 mm	In accordance	In accordance	In accordance
		Thickness		± 5%, max 0,5 mm	± 5%, max 0,5 mm	In accordance	In accordance	In accordance
		**Wedging		± 0,5%, max 2 mm	± 0,3%, max 1,5 mm	In accordance	In accordance	In accordance
		Straightness of the edges		± 0,5%, max 1,5 mm	± 0,3%, max 0,8 mm	In accordance	In accordance	In accordance
		Flatness		± 0,5%, max 2 mm	± 0,4%, max 1,8 mm	In accordance	In accordance	In accordance
STRUCTURE		Water absorption - average value %	ISO 10545-3 ASTM C373	≤ 0,5%		In accordance	In accordance	In accordance
		Breaking strength	ISO 10545-4	S ≥ 1300 N		S ≥ 2000 N	S ≥ 2000 N	S ≥ 2000 N
		Bending strength		R ≥ 35 N/mm ²		In accordance	In accordance	In accordance
		Deep abrasion	ISO 10545-6	≤ 175mm ³		≤ 140mm ³	≤ 140mm ³	≤ 140mm ³
THERMAL SHOCK		Coefficient of thermal linear expansion	ISO 10545-8	Declared value Test method available		≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
		Thermal shock resistance	ISO 10545-9	Resistant		Resistant	Resistant	Resistant
		Resistance to frost	ISO 10545-12	Resistant		Resistant	Resistant	Resistant
SAFETY		Dynamic friction coefficient	DCOF BOT 3000	Slip resistant ≥ 0,42		In accordance	In accordance	In accordance
		Dynamic friction coefficient	DIN 51130	According to the space or the working area		R9	R9	R11
		Non-slip classification	DIN 51097	According to the wet area to be stepped on barefoot		-	-	C(A+B+C)
CHEMICAL RESISTANCE		Resistance to household chemicals and swimming pool salts	ISO 10545-13	UB Min.		In accordance	In accordance	In accordance
		Resistance to low concentrations of acids and alkalis		According to classification indicated by the manufacturer		ULB Min.	ULB Min.	ULB Min.
		Stain resistance	ISO 10545-14	Declared value Test method available		5	5	5

- Average rating of tests conducted during the last 24 months.
- For oblong tiles with L≥ 60 cm and ratio length/width L/W≥3, measurement of rectangularity only on short edges

The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.





Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie