




Italian Tile & Stone
tiles.ie

MARMI PRIMO

www.tiles.ie



M A R M I P R I M O

MARM I PRIMO celebrates the marble varieties that marked in the architectural contest the emergence of “modern luxury” at the beginning of last century, a style characterised by a restrained and simple elegance in which the focus is on the materials themselves.

MARMI PRIMO

The MARMI PRIMO collection includes several classic marble varieties such as Bianco Carrara, popular for its sober aesthetics and pure background, Stone Grey, with its sophisticated mud-grey colouring, and Precious Black, an elegant black marble streaked with golden veins. Completing the range are the more decorative Oyster Gold, Oyster White slabs as well as Venezia Nuvola, a terrazzo-inspired product that enhances the three-dimensionality of the new Antique 3D surfaces.



6 mm

120x280 soft / lux

8,5 mm

120x120 nat. / ant. 3D / lux

60x120 nat. / ant. 3D / lux



SURFACES AND TECHNICAL INNOVATION

MARMI PRIMO comes in four different finishes. The Soft slabs and polished Lux surfaces are complemented by the two new versions Natural P.tech, which offers improved slip resistance, and Antique 3D, in which exclusive 3Dtech technology recreates the unique aesthetics of antique marble.

SOFT SURFACE



LUX SURFACE



ANTIQUE 3D SURFACE



3D tech

The new 3D Tech technology allows thick layers of various ceramic materials to be applied in perfect alignment with the underlying graphic designs, which are created digitally with extremely high definition. This revolutionary production process combines material and aesthetic effects to create surfaces with extraordinary sensorial appeal.

NATURAL SURFACE



P. tech

The unique P.TECH technology improves slip resistance while maintaining a pleasant tactile sensation. P.TECH is the result of an innovative production process that combines a meticulous selection of raw materials with the pressing, firing and end-of-line processing stages. Despite their high coefficient of friction, R10 and R11 P.TECH products are easy to clean, making them ideal not only for use on indoor floors but also in wellness and outdoor spaces in public or commercial areas.



PRECIOUS BLACK



STONE GREY



CARRARA



OYSTER WHITE



OYSTER GOLD



VENEZIA NUVOLA

MARMI PRIMO

INDEX

PRECIOUS BLACK	p. 08
STONE GREY	p. 18
CARRARA	p. 26
OYSTER WHITE	p. 36
OYSTER GOLD	p. 42
VENEZIA NUVOLA	p. 48

MARMİ PRİMO

PRECIOUS BLACK



floor: MARMİ PRİMO PRECIOUS BLACK LUX R. 120x120



wall: MARMI PRIMO PRECIOUS BLACK LUX R. 120x280+SENSI ROMA IVORY NAT. R. 120x280
floor: SENSI ROMA IVORY NAT. R. 60x120



wall: MARMI PRIMO PRECIOUS BLACK LUX R. 60x120+MAT. ALLUMINIO RAME SCURO
floor: VERSES STONE PIRENEI ECRU NAT. R. 60x120




wall: MARMI PRIMO PRECIOUS BLACK ANT. 3D R. 60x120+INTERNO 9 RUST NAT. R. 60x120
 washbasin top: INTERNO 9 RUST NAT. R. 120x280 / floor: MARMI PRIMO PRECIOUS BLACK ANT. 3D R. 60x120







wall: WIDE&STYLE LUNAR 120x280 / floor: MARMI PRIMO PRECIOUS BLACK NAT. R. 60x120



MARMİ PRİMO

STONE GREY



floor: MARMİ PRİMO STONE GREY ANT. 3D R. 120x120





wall: MARMI PRIMO STONE GREY NAT. R. 60x120+WIDE&STYLE MINI CARIBBEAN NAT. R. 60x120 / floor: SENSI ROMA WHITE NAT. R. 60x120



wall: MARMI PRIMO STONE GREY LUX. R. 120x280+VERSES COLORS SMOKE 7,5x15 / floor: MARMI PRIMO STONE GREY LUX R. 60x120



wall: WIDE&STYLE BRICKLANE 120x280 / floor: MARMI PRIMO STONE GREY NAT. R. 60x120



MARMI PRIMO

CARRARA



floor: MARMI PRIMO CARRARA NAT. R. 120x120



floor: MARMI PRIMO CARRARA ANT. 3D R. 60x120



floor: MARMI PRIMO CARRARA ANT. 3D R. 60x120



wall: MARMI PRIMO CARRARA SOFT R. 120x280 / floor: VERSES STONE PIRENEI GREY NAT. R. 60x120
washbasin: CARRARA SOFT 12 mm



floor: MARMI PRIMO CARRARA LUX R. 120x120



wall: MARMİ PRİMO CARRARA LUX R. 60x120+W&S MINI VOL.2 REFINED NAT. R.60x120 / floor: MARMİ PRİMO CARRARA LUX R. 60x120
washbasin: MARMİ PRİMO CARRARA LUX R. 120x280



wall and top: MARMİ PRİMO CARRARA LUX R. 120x280 / floor: VERSES WOOD OAK NAT. R. 26,5x180

MARMİ PRİMO

OYSTER WHITE





wall: MARMI PRIMO OYSTER WHITE LUX R. 120x280 / washbasin top: INTERNO 9 RUST 12 mm
 floor: VERSES WOOD GOLD NAT. R. 20x120



wall: MARMI PRIMO OYSTER WHITE LUX R.120x280+HONEY WOOD 12mm / floor: MARMI PRIMO CARRARA LUX R.120x120



wall: MARMI PRIMO OYSTER WHITE SOFT R. 120x280 / floor: MARMI PRIMO STONE GREY ANT. 3D R. 120x120



floor: MARMI PRIMO OYSTER WHITE NAT. R. 60x120

MARMİ PRİMO

OYSTER GOLD



floor: MARMİ PRİMO OYSTER GOLD LUX R. 120x120 / wall: HONEY WOOD 12 mm



wall: MARMI PRIMO OYSTER GOLD LUX R. 120x280 / floor: VERSES WOOD MUD NAT. R. 26,5x180



wall: MARMI PRIMO OYSTER GOLD LUX R. 120x280+VERSES COLORS SMOKE 10x10/ floor: BLEND CONCRETE MOON NAT. R. 60x120



wall: MARMI PRIMO CARRARA SOFT R. 120x280 / floor: VERSES WOOD GOLD NAT. R. 20x120



floor: MARMI PRIMO OYSTER GOLD LUX R. 60x120



MARMI PRIMO

VENEZIA NUVOLA





floor: MARMI PRIMO VENEZIA NUVOLA ANT. 3D R. 120x120



wall: MARMI PRIMO VENEZIA NUVOLA ANT. 3D R. 60x120



wall: MARMI PRIMO VENEZIA NUVOLA ANT. 3D R. 60x120+VERSES COLORS BLUSH 7,5x15 / floor: VERSES STONE PIASE ASH NAT. R. 60x120

MARMI PRIMO

COLOUR AND SIZE CHART

						
	PRECIOUS BLACK	STONE GREY	CARRARA	OYSTER WHITE	OYSTER GOLD	VENEZIA NUVOLA
6 mm						
120x280 48"x112" soft rett.	●	●	●	●		
120x280 48"x112" lux rett.	●	●	●	●	●	
8,5 mm						
120x120 48"x48" nat. rett.	●	●	●	●		
120x120 48"x48" ant. 3D rett.	●	●	●			●
120x120 48"x48" lux rett.	●	●	●	●	●	
60x120 24"x48" nat. rett.	●	●	●	●		
60x120 24"x48" ant. 3D rett.	●	●	●			●
60x120 24"x48" lux rett.	●	●	●	●	●	

MARMI PRIMO

PRECIOUS BLACK

6 mm		
120x280	soft rett.	
120x280	lux rett.	
8,5 mm		
120x120	nat rett.	P.tech R10 C
120x120	ant. 3D rett.	3D tech
120x120	lux rett.	
60x120	nat rett.	P.tech R10 C
60x120	ant. 3D rett.	3D tech
60x120	lux rett.	

163,5x323 soft	⌵ 12 mm
163,5x323 lux	
163,5x323 soft	⌵ 20 mm



MARMİ PRİMO

STONE GREY

6 mm		
120x280	soft rett.	
120x280	lux rett.	
8,5 mm		
120x120	nat rett.	P.tech R10 C
120x120	ant. 3D rett.	3D tech
120x120	lux rett.	
60x120	nat rett.	P.tech R10 C
60x120	ant. 3D rett.	3D tech
60x120	lux rett.	

163,5x323 soft

163,5x323 lux

163,5x323 soft

163,5x323 lux

163,5x323 soft

163,5x323 lux

⌵ 6 mm

⌵ 12 mm

⌵ 20 mm



MARMİ PRİMO

CARRARA

6 mm		
120x280	soft rett.	
120x280	lux rett.	
8,5 mm		
120x120	nat rett.	P.tech R10 C
120x120	ant. 3D rett.	3D tech
120x120	lux rett.	
60x120	nat rett.	P.tech R10 C
60x120	ant. 3D rett.	3D tech
60x120	lux rett.	

163,5x323 soft

163,5x323 lux

⌵ 12 mm



MARMI PRIMO

OYSTER WHITE

6 mm		
120x280	soft rett.	
120x280	lux rett.	
8,5 mm		
120x120	nat rett.	P.tech R10 C
120x120	lux rett.	
60x120	nat rett.	P.tech R10 C
60x120	lux rett.	

163,5x323 SLAB A soft
163,5x323 SLAB B soft
163,5x323 SLAB A lux
163,5x323 SLAB B lux

⌵ 12 mm



MARMI PRIMO

OYSTER GOLD

6 mm	
120x280	lux rett.
8,5 mm	
120x120	lux rett.
60x120	lux rett.

163,5x323 SLAB A lux
163,5x323 SLAB B lux

⌵ 12 mm



MARMI PRIMO

VENEZIA NUVOLA

8,5 mm			
120x120	ant. 3D rett.	3D tech	
60x120	ant. 3D rett.	3D tech	



ALUMINIUM STRIPS

Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm).



MATITA ALLUMINIO 0,5x120 4

Rounded top.



MATITA ALLUMINIO

Rounded top colored with acrylic resins.



MATITA ALLUM. ORO



MATITA ALLUM. RAME SCURO



MATITA ALLUM. WHITE



MATITA ALLUM. TERRACOTTA



MATITA ALLUM. BLU



MATITA ALLUM. VERDE



MATITA ALLUM. ARDESIA



MATITA ALLUM. BLACK



MATITA ALLUMINIO 0,5x120 4

Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO



MATITA ALLUM. RAME

SPECIAL TRIMS 8,5 mm							
	BATTISCOPA nat. rett. 5,5x120 6	-	-	-	-	-	-
	BATTISCOPA ant. 3D rett. 5,5x120 6	-	-	-	-	-	-
	BATTISCOPA lux rett. 5,5x120 6	-	-	-	-	-	-
	GRADONE TOP nat. rett. 32x120x4,5x2 1	-	-	-	-	-	-
	GRADONE TOP ant. 3D rett. 32x120x4,5x2 1	-	-	-	-	-	-
	GRADONE TOP lux rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP SX nat. rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP SX ant. 3D rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP SX lux rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP DX nat. rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP DX ant. 3D rett. 32x120x4,5x2 1	-	-	-	-	-	-
	ANGOLARE TOP DX lux rett. 32x120x4,5x2 1	-	-	-	-	-	-

TECHNICAL FEATURES

FULL BODY PORCELAIN

NATURAL SURFACE CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group BIa UGL

PHYSICAL-CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE MARMI PRIMO NAT. P.TECH
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
THICKNESS	UNI EN ISO 10545/2	± 5%	ACCORDING TO
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WEDGING	UNI EN ISO 10545/2	± 0,6%	ACCORDING TO
FLATNESS	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING TO
BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING TO
BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 1300 N	ACCORDING TO
RESISTANCE TO DEEP ABRASION OF UNGLAZED TILES	UNI EN ISO 10545/6	< 175 mm³	ACCORDING TO
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN UB	ACCORDING TO
RESISTANCE TO STAINING	UNI EN ISO 10545/14	UGL VALUE TO DECLARE	-
SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
			> 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	> 0,42
	AS/NZS 4586:2013	SRV : 35 - 44	P3 WET
	BS 7976 - 2:2002	>36	+36 WET

* Average production values

P.tech

Italian Tile ans Stone IS PRESENTING P.TECH, THE CERAMIC SURFACE THAT COMBINES A SOFT TOUCH WITH SLIP RESISTANCE.

Ongoing research and investments aimed at improving the aesthetic and technical qualities of products has enabled ABK to develop the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean.
P.TECH is not a surface treatment but the result of an innovative production process that combines raw material selection with the pressing and firing phases. These surfaces come up to the strictest standards in terms of coefficient of friction such as the AS/NZS 4586:2013 (Australian pendulum test) and BS 7976 - 2:2002 (British pendulum test) and can be cleaned using water and ordinary cleaning agents, making them the ideal choice for projects in public or commercial areas such as outdoor, wellness and hospitality spaces.
P.TECH products are also sufficiently versatile to enable the same surface to be used in different but communicating spaces such as interiors and exteriors, thereby guaranteeing the maximum design flexibility.

PACKAGING

Nominal size	Finish	Thickness	Work size (mm)	Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Pcs Total	Sqm total	Kg Packing	Kg Total
120x280 48"x112"	rett	6	1194x2800	Crate	-	-	-	-	20	67,20	95	1.070
				Rack pallet	-	-	-	-	36	121,00	120	1.874
				Container Rack pallet	-	-	-	-	36	121,00	140	1.894
120x120 48"x48"	rett.	8,5	1194x1194	Pallet with sides	2	2,88	57,60	18	36	51,84	40	1.077
60x120 24"x48"	rett.	8,5	596x1194	pallet	2	1,44	28,80	30	60	43,20	20	884

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box.

Data referring to packaging have been update at time of printing; the actual data may be slightly different.

Optical features and color shades of ceramic materials illustrated in this catalogue are to be regarded as mere indications.

SHADE VARIATION	V2	 uniform appearance V1	 slight variation V2	 moderate variation V3	 substantial variation V4
-----------------	----	--	--	--	---



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie