




Italian Tile & Stone  
tiles.ie

# Verses Decor

[www.tiles.ie](http://www.tiles.ie)

## Verses Decor





“I always strive to promote imperfection, even when developing industrial products which have clearly defined rules and processes. The results are always surprising.”

*Paola Navone*



# Verses Decor

PAOLA NAVONE

Design is poetry applied to space, an artistic interpretation of matter, and it is no coincidence that Italian designers are admired all over the world. One of these is Paola Navone, a Milanese designer, architect and art director renowned for her eclectic personality, free spirit and interest in different cultures. A collaboration between ABK and Studio OTTO – Paola Navone has resulted in POETRY HOUSE, a project that explores creative experiences, materials and graphic designs inspired by her most iconic and representative works. It is an authentic poetry of living, a distillation of the personal history and artistic experience that the designer brings to architectural spaces. POETRY HOUSE is the first step in a collaboration that will see strengthen its presence in the world of design and is destined to continue in the future. The project initially features different collections of ceramic surfaces wood, stone and decors.




# Verses Decor

VERSES DECOR takes a fresh approach to decoration with a series of exclusive patterns inspired by handmade and recycled materials. They are available with a choice of bases ranging from a decaying plaster effect to a surface inspired by a green-coloured oxidised metal sheet and a wood-look base reminiscent of the Poetry Wood collection. The designs created by Studio Otto-Paola Navone explore the concept of uniqueness and imperfection as an aesthetic value. The range consists of both small 20x20 cm tiles and large 120x280 cm slabs and uses lime white glazes and raku-effect metals with slightly irregular oxidised patterns to further enhance the unique qualities of the product.





index



**p 8**

120x280

PORCELAIN  
SLABS



**p 18**

20x20

PORCELAIN  
TILES




# 120x280

PORCELAIN SLABS

CEMENT



STAMP PAINT



POIS PAINT




LINES PAINT



TRACES PAINT



STAMP METAL



POIS METAL



LINES METAL



TRACES METAL

VERDIGRIS



STAMP PAINT



POIS PAINT




LINES PAINT



TRACES PAINT




STAMP METAL



POIS METAL



LINES METAL



TRACES METAL



wall  
VERSES DECOR TRACES PAINT VERDIGRIS 120x280  
WIDE&STYLE MINI SNOW 60x120

floor  
VERSES WOOD GOLD 20x120





wall  
VERSES DECOR TRACES PAINT CEMENT  
120x280 LAB325 BASE ASH 120x280

floor  
LAB325 BASE ASH 60x120



wall  
POETRY DECOR TRACES METAL CEMENT 120x280

floor  
GHOST GREY 120x120





wall  
VERSES DECOR POIS PAINT VERDIGRIS 120x280

floor  
VERSES WOOD MUD 20x120 / 30x120

wall  
VERSES DECOR POIS METAL VERDIGRIS 120x280







wall  
VERSES DECOR LINES PAINT CEMENT  
120x280 GHOST GREY 120x280

floor and washbasin top  
VERSES STONE PIASE MUD 60x120



wall  
VERSES DECOR LINES METAL VERDIGRIS 120x280

floor  
VERSES STONE PIASE SMOKE 120x120





wall  
VERSES DECOR STAMP METAL VERDIGRIS 120x280  
BLEND CONCRETE ASH 120x280

floor  
ECO CHIC AVANA 20x170



wall  
VERSES DECOR STAMP PAINT CEMENT 120x280

floor  
OUT.2CM VERSES WOOD GOLD R11 30x180 20 mm





# 20x20

PORCELAIN TILES

CEMENT



STAMP METAL



POIS METAL



LINES METAL

VERDIGRIS



STAMP PAINT



POIS PAINT



LINES PAINT

WOOD



PAINT WOOD



METAL OAK



METAL MUD




wall  
VERSES DECOR POIS PAINT VERDIGRIS 20x20  
BLEND CONCRETE GREY 120x280

floor  
VERSES DECOR POIS PAINT VERDIGRIS 20x20





wall  
VERSES DECOR POIS PAINT VERDIGRIS 20x20




wall  
VERSES DECOR STAMP / PAINT / LINES PAINT VERDIGRIS 20x20

floor  
VERSES STONE PIRENEI GREY 60x120



pool and wall  
VERSES DECOR STAMP PAINT VERDIGRIS 20x20

floor  
VERSES STONE TRANI BEIGE R11 60x120 8,5 mm



wall  
VERSES STONE TRANI BEIGE 120x280  
VERSES WOOD ECRU 20x120


floor  
VERSES DECOR STAMP PAINT VERDIGRIS 20x20





floor  
VERSES DECOR PAINT WOOD 20x20  
VERSES WOOD GOLD 20x120

top and kitchen volume  
wall  
VERSES DECOR PAINT WOOD 20x20  
PIRENEI ECRU 160x320 12/20 mm





wall  
VERSES DECOR PAINT WOOD 20x20

floor  
VERSES WOOD ECRU 30x120



floor  
VERSES DECOR PAINT WOOD 20x20  
VERSES STONE PIRENEI ECRU 60x120





wall  
VERSES DECOR METAL OAK 20x20  
floor  
VERSES STONE PIASE MUD 120x120

wall  
VERSES DECOR METAL MUD 20x20  
VERSES WOOD MUD 20x120  
INTERNO 9 SILVER 120x280  
floor  
VERSES WOOD MUD 20x120  
INTERNO 9 MOSAICO QUADRETTI 30x30







wall  
VERSES DECOR LINES METAL CEMENT 20x20  
GHOST GREY 60x120 TAUPE 60x120

floor  
GHOST TAUPE 60x120

floor  
VERSES DECOR LINES / STAMP / POIS METAL CEMENT 20x20






# Verses Decor


120x280

## VERSES DECOR


6 mm




120x280  
STAMP PAINT CEMENT rett.



120x280  
STAMP PAINT VERDIGRIS rett.



120x280  
\* STAMP METAL CEMENT rett.



120x280  
\* STAMP METAL VERDIGRIS rett.

\* Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

PORCELAIN SLABS

On demand items, sale per piece.



6 mm



120x280  
POIS PAINT CEMENT rett.



120x280  
POIS PAINT VERDIGRIS rett.



120x280  
LINES PAINT CEMENT rett.



120x280  
\* POIS METAL CEMENT rett.



120x280  
\* POIS METAL VERDIGRIS rett.



120x280  
\* LINES METAL CEMENT rett.



120x280  
\* LINES METAL VERDIGRIS rett.




120x280  
TRACES PAINT CEMENT rett.



120x280  
TRACES PAINT VERDIGRIS rett.



120x280  
\* TRACES METAL CEMENT rett.



120x280  
\* TRACES METAL VERDIGRIS rett.

\* Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.



# Verses Decor


## 20x20

### VERSES DECOR


Sales per Sqm.

PORCELAIN TILES


8,5 mm




20x20  
\* STAMP METAL CEMENT nat.




20x20  
\* POIS METAL CEMENT nat.




20x20  
\* LINES METAL CEMENT nat.



20x20  
STAMP PAINT VERDIGRIS nat.



20x20  
POIS PAINT VERDIGRIS nat.




20x20  
LINES PAINT VERDIGRIS nat.



20x20  
PAINT WOOD nat.



20x20  
\* METAL OAK nat.



20x20  
\* METAL MUD nat.

This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

\* Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.



TECHNICAL FEATURES

COLORED BODY PORCELAIN

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

120x280

PHYSICAL-CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
THICKNESS	UNI EN ISO 10545/2	± 5%	ACCORDING TO
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WEDGING	UNI EN ISO 10545/2	± 0,6%	ACCORDING TO
FLATNESS	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING TO
BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING TO
(< 7,5 mm) BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 700 N	ACCORDING TO
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	RICHIESTA REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	RICHIESTA REQUIRED	FROST PROOF
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	-	GA
RESISTANCE TO STAINING	UNI EN ISO 10545/14	GL ≥ MINIMO CLASSE 3	ACCORDING TO

TECHNICAL FEATURES

PORCELAIN TILES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

20x20

PHYSICAL-CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
THICKNESS	UNI EN ISO 10545/2	± 5%	ACCORDING TO
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WEDGING	UNI EN ISO 10545/2	± 0,6%	ACCORDING TO
FLATNESS	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING TO
BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING TO
BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 1300 N	ACCORDING TO
ABRASION RESISTANCE FOR GLAZED TILES	UNI EN ISO 10545/7	DECLARED BY THE MANUFACTURING COMPANY	-
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN GB	-
RESISTANCE TO STAINING	UNI EN ISO 10545/14	GL ≥ MINIMO CLASSE 3	-
SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
			> 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R9
	DIN 51097	-	A
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	> 0,42



PACKAGING

Nominal size	Finish	Thickness	Work size (mm)	Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Pcs Total	Sqm total	Kg Packing	Kg Total
120x280 48"x112"	rett	6	1194x2800	Crate	-	-	-	-	-	-	-	-
				Rack pallet	-	-	-	-	-	-	-	-
				Container Rack pallet	-	-	-	-	-	-	-	-
20x20 8"x8"	nat.	8,5	-	pallet	26	1,04	19,00	36	936	37,44	20	704

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box.  
Data referring to packaging have been update at time of printing; the actual data may be slightly different.  
Due to working process special trims and decors, may show variation in tonality.

Optical features and color shades of ceramic materials illustrated in this catalogue are to be regarded as mere indications.





# Italian Tile & Stone

---

## TERENURE SHOWROOM

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88  
**T** 01 492 4891  
**E** info@tiles.ie

## COMMERCIAL DIVISION

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88  
**T** 01 907 3700  
**E** commercial@tiles.ie

## SWORDS SHOWROOM

---

Italian Tile and Stone  
6 Town Centre Mall, Main Street  
Swords, Co. Dublin, K67 CD86 **T** 01  
840 5057  
**E** swords@tiles.ie

---

[www.tiles.ie](http://www.tiles.ie)