



Italian Tile & Stone
tiles.ie

MARMI ULTIMO



www.tiles.ie



Italian Tile & Stone
tiles.ie

THE MANY SHADES
OF MARBLE

MARMI ULTIMO

MARMI ULTIMO

Memory as the origin of feelings and inspiration is the concept behind the new Marmi Ultimo collection. These new surfaces use cutting-edge technology to enhance the aesthetic potential of the marble effect, transforming porcelain stoneware into a powerfully evocative material capable of conveying emotions while fulfilling the needs of contemporary design.



6 mm	8,5 mm	20 mm X20
120x280	120x120	60x120 R11
	60x120	
	7,5x40,7	

SURFACES AND TECHNICAL INNOVATION

MARMI ULTIMO comes in five different finishes.

The Soft slabs and polished Lux surfaces are complemented by the two new versions Natural P.tech, which offers improved slip resistance, and Antique 3D in which exclusive 3Dtech technology recreates the unique aesthetics of antique marble. Furthermore, the R11 non-slip surface with a thickness of 20mm allows for the creation of visually continuous solutions between inside and outside.



NAT. P.TECH



SOFT 3D



ANTIQUE 3D



LUX



R11

SURFACES AND TECHNICAL INNOVATION

3D tech

The new 3D Tech technology allows thick layers of various ceramic materials to be applied in perfect alignment with the underlying graphic designs, which are created digitally with extremely high definition.

This revolutionary production process combines material and aesthetic effects to create surfaces with extraordinary sensorial appeal.



SOFT 3D

The SOFT 3D technology allows to create slabs with an extra smooth finish, enriched with bas-relief effects that enhance the naturalness of the surface. The different density of the raw materials applied in the selected areas, chemically recreates the depths that exactly match the high-resolution digital graphic.



P. tech

The unique P.TECH technology improves slip resistance while maintaining a pleasant tactile sensation. P.TECH is the result of an innovative production process that combines a meticulous selection of raw materials with the pressing, firing and end-of-line processing stages. Despite their high coefficient of friction, R10 and R11 P.TECH products are easy to clean, making them ideal not only for use on indoor floors but also in wellness and outdoor spaces in public or commercial areas.



MARMI
ULTIMO

BRECCIA IMPERIALE





FLOOR: BRECCIA IMPERIALE ANT. 3D RETT. 120x120
- COFFEE TABLE: BIANCO VAGLI SOFT 12MM



WALL: BRECCIA IMPERIALE ANT. 3D RETT. 60x120
+ FLOW WHITE SATIN 6x25
FLOOR: BRECCIA IMPERIALE ANT. 3D RETT. 60x120



WALL: MEDLEY BRECCIA IMPERIALE NAT. RETT. 60x120

FLOOR: PULPIS IVORY NAT. RETT. 60x120



WALL: BRECCIA IMPERIALE LUX RETT. 120x280

FLOOR: BRECCIA IMPERIALE LUX RETT. 60x120



FLOOR: CHEVRON BRECCIA IMPERIALE NAT. 7,5x40,7



WALL AND TOP: BRECCIA IMPERIALE NAT. RETT. 120x280

FLOOR: ROOTS HONEY NAT. RETT. 26x200



FLOOR: BRECCIA IMPERIALE NAT. RETT. 60x120

OUTDOOR FLOOR: X20 BRECCIA IMPERIALE R11 RETT. 60x120 20MM

WALL: ROOTS STRIP NAT. RETT. 120x280

MARMI ULTIMO

BIANCO VAGLI





FLOOR: BIANCO VAGLI LUX RETT. 120x120




- TOP: BIANCO VAGLI SOFT 12MM

WALL: FOUR SEASONS CHOCOLATE NAT. RETT. 5x120 +
BIANCO VAGLI SOFT RETT. 120x280

FLOOR: ROOTS CHOCOLATE NAT. RETT. 20 x120



WALL: BRECCIA IMPERIALE NAT. RETT. 120x280
 FLOOR: BIANCO VAGLI NAT. RETT. 60x120



WALL: CHEVRON BIANCO VAGLI NAT. 7,5x40,7 +
 CHEVRON BRECCIA IMPERIALE NAT. 7,5x40,7
 FLOOR: CHEVRON BIANCO VAGLI NAT. 7,5x40,7



FLOOR: BIANCO VAGLI ANT. 3D RETT. 60x120



FLOOR: CHEVRON BIANCO VAGLI NAT. 7,5x40,7
+ ROOTS CHEVRON BISCUIT NAT. 7,5x40,7

MARM I
ULTIMO

DARK STONE







- TOP: DARK STONE NAT. 12MM
KITCHEN AND BACKSPLASH: ROOTS MIX NAT. RETT. 120x280
FLOOR: DARK STONE NAT. RETT. 120x120
WALL: DARK STONE NAT. RETT. 120x280



FLOOR: DARK STONE NAT. RETT. 120x120
 KITCHEN: ROOTS MIX NAT. RETT. 120x280
 - TOP: DARK STONE NAT. 12MM



WALL: DARK STONE NAT. RETT. 120x280 + FLOW TANGERINE GLOSSY 6x25
 + ART WALLS DRIPPING LUX 120x280
 bathdesign - WASHBASIN: DARK STONE NAT. RETT. 120x280
 FLOOR: DARK STONE NAT. RETT. 60x120

MARMI ULTIMO

QUARZITE LUNA



FLOOR: QUARZITE LUNA ANT. 3D RETT. 120x120
 - WALL AND COFFEE TABLE: ROOTS HONEY NAT. 12MM/20MM



WALL: QUARZITE LUNA ANT. 3D RETT. 60x120 + MEDLEY QUARZITE LUNA NAT. RETT. 60x120

FLOOR: DARK STONE ANT. 3D RETT. 60x120

WASHBASIN: QUARZITE LUNA SOFT 3D 120x280



WALL: QUARZITE LUNA LUX RETT. 120x280 +

ROOTS HONEY NAT. RETT. 120x280

FLOOR: QUARZITE LUNA LUX RETT. 60x120

WASHBASIN TOP: QUARZITE LUNA SOFT 3D RETT. 120 x280



FLOOR: CHEVRON QUARZITE LUNA NAT. 7,5x40,7



WALL: CHEVRON QUARZITE LUNA NAT. 7,5x40,7 +
ROOTS CHEVRON HONEY NAT. 7,5x40,7
WASHBASIN TOP: QUARZITE LUNA SOFT 3D RETT 120 x280




WALL: QUARZITE LUNA SOFT 3D RETT. 120x280 + ROOTS BISCUIT NAT. RETT. 5x120
 FLOOR: GREY SOAPSTONE NAT. RETT. 60x120
 WASHBASIN TOP: QUARZITE LUNA SOFT 3D RETT. 120x280



MARMI ULTIMO

GREY SOAPSTONE





WALL: FLOW OCEAN SATIN / GLOSSY 6x25 + REBEL BRONZE 120x280
FLOOR: GREY SOAPSTONE NAT. RETT. 120x120



WALL: FLOW POWDER, TANGERINE, OCEAN SATIN 6x25 +
GREY SOAPSTONE NAT. RETT. 120x280
FLOOR: GREY SOAPSTONE NAT. RETT. 60x120



WALL: GREY SOAPSTONE NAT. RETT. 120x280 + BIANCO VAGLI SOFT RETT. 120x280
 FLOOR: GREY SOAPSTONE NAT. RETT. 60x120
 WASHBASIN: BIANCO VAGLI SOFT



WALL: GREY SOAPSTONE ANT. 3D RETT. 60x120
 FLOOR AND TOP: ROOTS BISCUIT NAT. RETT. 20x120 + 26x200



FLOOR: GREY SOAPSTONE ANT. 3D RETT. 60x120
 WALL: CUMBRIAN ICE NAT. RETT. 120x280
 BACKSPLASH AND TOP: GREY SOAPSTONE NAT. RETT. 120x280
 KITCHEN CABINETS: REBEL BRONZE NAT. RETT. 120x280

MARMI ULTIMO

PULPIS IVORY





WALL: FLOW MINT SATIN 6x25, OCEAN GLOSSY 6 x25 +
 MARMİ ULTIMO PULPIS IVORY NAT. RETT. 120x280
 FLOOR: PULPIS IVORY NAT. RETT. 60x120



FLOOR: PULPIS IVORY NAT. RETT. 120x120
 - KITCHEN TOP: PULPIS IVORY NAT. 12MM



FLOOR: PULPIS IVORY NAT. RETT. 60x120

OUTDOOR FLOOR: OUT.20 PULPIS IVORY R11 RETT. 60x120 20MM



WALL: PULPIS IVORY LUX RETT. 120x280

FLOOR: ROOTS BISCUIT NAT. RETT. 26x200



BACKSPLASH: MEDLEY PULPIS IVORY NAT. RETT. 60x120

- TOP: BRECCIA IMPERIALE SOFT 12MM



FLOOR: PULPIS IVORY ANT. 3D RETT. 60x120

MARM I ULTIMO

ROSA PERLINO





FLOOR: ROSA PERLINO ANT. 3D RETT. 120x120



WALL: ROSA PERLINO ANT. 3D RETT. 60x120
+ REBEL BRONZE NAT. RETT. 60x120
FLOOR: ROOTS BISCUIT NAT. RETT. 20x120
FURNITURE: FLOW TANGERINE SATIN 6x25 +
REBEL BRONZE 12MM




WALL: ROSA PERLINO NAT. RETT. 120x280 / 60x120 +
 ROOTS CHOCOLATE NAT. RETT. 10x60
 FLOOR: CHOCOLATE NAT. RETT. 20x120 + ROSA PERLINO NAT. RETT. 120x280



									
			BRECCIA IMPERIALE	BIANCO VAGLI	DARK STONE	QUARZITE LUNA	GREY SOAPSTONE	PULPIS IVORY	ROSA PERLINO
6 mm	120x280 48"x112"	LUX RETT.	•	•		•		•	
	120x280 48"x112"	NAT RETT. P. TECH R10 C	•		•		•	•	•
	120x280 48"x112"	SOFT RETT.		•					
	120x280 48"x112"	SOFT 3D RETT.				•			
8,5 mm	120x120 48"x48"	LUX RETT.	•	•		•		•	
	120x120 48"x48"	NAT RETT. P. TECH R10 C	•	•	•	•	•	•	•
	120x120 48"x48"	ANT. 3D RETT. 3D TECH	•	•	•	•	•	•	•
	60x120 24"x48"	LUX RETT.	•	•		•		•	
	60x120 24"x48"	NAT RETT. P. TECH R10 C	•	•	•	•	•	•	•
	60x120 24"x48"	ANT. 3D RETT. 3D TECH	•	•	•	•	•	•	•
	7,5x40,7 3"x16" CHEVRON	NAT RETT. P. TECH R10 C	•	•		•			
20 mm	60x120 24"x48"	R11 RETT. P. TECH	•					•	

BRECCIA IMPERIALE



CHEVRON



8,5 mm	7,5x40,7	CHEVRON NAT	M 66,90
--------	----------	-------------	---------

6 mm	120x280	LUX RETT.	M 122,50
	120x280	NAT RETT. P. TECH R10 C	M 101,90
8,5 mm	120x120	LUX RETT.	M 105,90
	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	LUX RETT.	M 80,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50
20 mm	60x120 X20	R11 RETT. P. TECH	M 87,90

Available also


12 mm	163,5x323	LUX SOFT
-------	-----------	-------------

MARMI
ULTIMO

BIANCO VAGLI



CHEVRON



8,5 mm	7,5x40,7	CHEVRON NAT	M 66,90
--------	----------	-------------	---------

6 mm	120x280	LUX RETT.	M 122,50
	120x280	SOFT RETT.	M 107,50
8,5 mm	120x120	LUX RETT.	M 105,90
	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	LUX RETT.	M 80,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50

Available also

FULLVEIN3D

12 mm SLAB A	163,5x323	LUX
		SOFT
12 mm SLAB B	163,5x323	LUX
		SOFT
20 mm SLAB A	163,5x323	LUX
		SOFT
20 mm SLAB B	163,5x323	LUX
		SOFT

DARK STONE



6 mm	120x280	NAT RETT. P. TECH R10 C	M 101,90
8,5 mm	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50


Available also

12 mm	163,5x323	NAT
-------	-----------	-----

QUARZITE LUNA



CHEVRON



8,5 mm	7,5x40,7	CHEVRON NAT	M 66,90
--------	----------	-------------	---------

6 mm	120x280	LUX RETT.	M 122,50
	120x280	SOFT 3D RETT.	M 113,50
8,5 mm	120x120	LUX RETT.	M 105,90
	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	LUX RETT.	M 80,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50

GREY SOAPSTONE



6 mm	120x280	NAT RETT. P. TECH R10 C	M 101,90
8,5 mm	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50

Available also

FULLBODY3D

12 mm	163,5x323	NAT
-------	-----------	-----

PULPIS IVORY



6 mm	120x280	LUX RETT.	M 122,50
	120x280	NAT RETT. P. TECH R10 C	M 101,90
8,5 mm	120x120	LUX RETT.	M 105,90
	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	LUX RETT.	M 80,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50
20 mm X20	60x120	R11 RETT. P.TECH	M 87,90

Available also

12 mm	163,5x323	LUX
		NAT

ROSA PERLINO



6 mm	120x280	NAT RETT. P. TECH R10 C	M 101,90
8,5 mm	120x120	NAT RETT. P. TECH R10 C	M 80,50
	120x120	ANT. 3D RETT. 3D TECH	M 119,50
	60x120	NAT RETT. P. TECH R10 C	M 61,90
	60x120	ANT. 3D RETT. 3D TECH	M 88,50

MARMI ULTIMO

3D tech



MEMORIES MEDLEY BRECCIA NAT. RETT.
M 84,50



MEMORIES MEDLEY QUARZITE NAT. RETT.
M 84,50







MEMORIES MEDLEY PULPIS NAT. RETT.
M 84,50















This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

2mm joint suggested.

DECORS AND SPECIAL TRIMS			BRECCIA IMPERIALE	BIANCO VAGLI	DARK STONE	QUARZITE LUNA	GREY SOAPSTONE	PULPIS IVORY	ROSA PERLINO	
 8,5 mm	Battiscopa 5,5x120 	LUX RETT.	-	-	-	-	-	-	-	P. 15,50
		NAT RETT. P. TECH R10 C	-	-	-	-	-	-	-	P. 11,50
		ANT. 3D RETT. 3D TECH.	-	-	-	-	-	-	-	P. 16,50
 8,5 mm	Gradone Top 32x120x4,5x2 	LUX RETT.	-	-	-	-	-	-	-	P. 205,50
		NAT RETT. P. TECH R10 C	-	-	-	-	-	-	-	P. 194,50
		ANT. 3D RETT. 3D TECH.	-	-	-	-	-	-	-	P. 226,50
 8,5 mm	Angolare Top SX 32x120x4,5x2 	LUX RETT.	-	-	-	-	-	-	-	P. 236,50
		NAT RETT. P. TECH R10 C	-	-	-	-	-	-	-	P. 225,50
		ANT. 3D RETT. 3D TECH.	-	-	-	-	-	-	-	P. 260,50
 8,5 mm	Angolare Top DX 32x120x4,5x2 	LUX RETT.	-	-	-	-	-	-	-	P. 236,50
		NAT RETT. P. TECH R10 C	-	-	-	-	-	-	-	P. 225,50
		ANT. 3D RETT. 3D TECH.	-	-	-	-	-	-	-	P. 260,50

X20 20 mm R 11 P. tech

	 Bullnose 60x120 	 Elemento L 15x60x5 	 Elemento L Grip 15x60x5 	 Griglia 15x60 	 Ang. Griglia SX 15x60 	 Ang. Griglia DX 15x60 
BRECCIA IMPERIALE	-	-	-	-	-	-
PULPIS IVORY	-	-	-	-	-	-
	P 194,50	P 102,50	P 113,90	P 194,50	P 262,90	P 262,90

MARMI ULTIMO

ALUMINIUM STRIP

Anodized Aluminium strips for use between wall tiles of different thicknesses (9/7/6 mm).



MATITA ALLUMINIO 0,5X120
Rounded top.



MATITA ALLUMINIO
Rounded top colored with acrylic resins.



MATITA ALLUM. ORO



MATITA ALLUM. RAME SCURO



MATITA ALLUM. WHITE
P. 32,50



MATITA ALLUM. TERRACOTTA
P. 32,50



MATITA ALLUM. BLU
P. 32,50



MATITA ALLUM. VERDE
P. 32,50



MATITA ALLUM. ARDESIA
P. 32,50



MATITA ALLUM. BLACK
P. 32,50



MATITA ALLUMINIO 0,5X120

Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
P. 40,50



MATITA ALLUM. RAME
P. 40,50

PACKAGING

Nominal size	Finish	Thickness	Work size(mm)	Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Pcs Total	Sqm Total	Kg/Packing	Kg Total
120x280 48"x112"	RETT.	6	1194x2800	Cassa	-	-	-	-	20	67,2	95	1.070
				Cavalletto	-	-	-	-	36	121	120	1.874
				Container Rack pallet	-	-	-	-	36	121	140	1.894
120x120 48"x48"	RETT.	8,5	1194x1194	Pallet con sponde	2	2,88	57,60	18	36	51,84	40	1.077
60x120 24"x48"	RETT.	8,5	596x1194	Pallet	2	1,44	28,80	30	60	43,20	20	884
60x120 24"x48"	RETT.	20	596x1194	Pallet	1	0,72	32,80	30	30	21,60	20	1.004
7,5x40,7 3"x16"	NAT	8,5	-	Pallet	28	0,88	16,00	42	1.176	36,96	20	692





The data referred to the content per box and to the packing weight are update at the catalogue printing time.

P. tech

Italian tile and stone is presenting **P.TECH**, the ceramic surface that combines a soft touch with slip resistance. Ongoing research and investments aimed at improving the aesthetic and technical qualities of products has enabled Flaviker to develop the innovative **P.TECH** technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean. **P.TECH** is not a surface treatment but the result of an innovative production process that combines raw material selection with the pressing and firing phases. These surfaces come up to the strictest standards in terms of coefficient of friction such as the AS/NZS 4586:2013 (Australian pendulum test) and BS 7976 - 2:2002 (British pendulum test) and can be cleaned using water and ordinary cleaning agents, making them the ideal choice for projects in public or commercial areas such as outdoor, wellness and hospitality spaces. P.TECH products are also sufficiently versatile to enable the same surface to be used in different but communicating spaces such as interiors and exteriors, thereby guaranteeing the maximum design flexibility.

TECHNICAL CHARACTERISTICS

FULL BODY PORCELAIN	NATURAL / SOFT / SOFT 3D SURFACE CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group UGL
X20 R11 FULL BODY COLORED PORCELAIN	CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

PHYSICAL-CHEMICAL PROPERTIES		NORM	VALUE PRESCRIBED FROM THE NORMS	* VALUE NAT. P.TECH	* VALUE X20 R11 P. TECH
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE		UNI EN ISO 10545/2	± 0,6%	ACCORDING TO	ACCORDING TO
THICKNESS		UNI EN ISO 10545/2	± 5%	ACCORDING TO	ACCORDING TO
WARPAGES OF EDGES		UNI EN ISO 10545/2	± 0,5%	ACCORDING TO	ACCORDING TO
WEDGING		UNI EN ISO 10545/2	± 0,6%	ACCORDING TO	ACCORDING TO
FLATNESS		UNI EN ISO 10545/2	± 0,5%	ACCORDING TO	ACCORDING TO
WATER ABSORPTION		UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING TO	ACCORDING TO
BENDING STRENGTH		UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING TO	ACCORDING TO
BREAKING STRENGTH		UNI EN ISO 10545/4	Thickness ≥ 7,5 mm: Min 1300 N	ACCORDING TO	ACCORDING TO
			Thickness < 7,5 mm: Min 700 N		
RESISTANCE TO DEEP ABRASION OF UNGLAZED TILES		UNI EN ISO 10545-6	< 175 mm³	ACCORDING TO	-
ABRASION RESISTANCE FOR GLAZED TILES		UNI EN ISO 10545/7	DECLARED BY THE MANUFACTURING COMPANY	-	ACCORDING TO THE DESTINATION OF FINAL USE
THERMAL SHOCK RESISTANCE		UNI EN ISO 10545/9	REQUIRED	RESISTS	ACCORDING TO
FROST RESISTANCE		UNI EN ISO 10545/12	REQUIRED	FROST PROOF	FROST PROOF
CHEMICAL RESISTANCE		UNI EN ISO 10545/13	MIN UB	ACCORDING TO	ACCORDING TO
			MIN GB		
RESISTANCE TO STAINING		UNI EN ISO 10545/14	UGL : VALUE TO DECLARE	-	-
			GL: CLASSE 3 MIN	ACCORDING TO	ACCORDING TO
SLIP RESISTANCE		B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40 > 0,40	> 0,40 > 0,40
		B.C.R.A. G.B.			
		ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	>0,60 DRY >0,60 WET	> 0,60 DRY > 0,60 WET
		DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
		DIN 51097	-	A+B+C	A+B+C
		ANSI A 137-1:2012 (D.C.O.F.)	> 0,42	>0,42	>0,42
		AS/NZS 4586:2013	SRV : 35 - 44	P3 WET	P4 WET
		BS 7976 - 2:2002	> 36	+36 WET	+36 WET
SHADE VARIATION	V2	 uniform appearance V1	 slight variation V2	 moderate variation V3	 substantial variation V4

*Average production values



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie