

Italian Tile & Stone
tiles.ie

ARTE 2

New
linear
vibes.

www.tiles.ie



ARTE

Italian Tile and Stone is unveiling a new wall tile collection consisting of 8 exclusive decorative patterns, here too in a 60x120 cm size. Once again, the creative team is proposing a series of perfectly modular, original and visually-appealing installation patterns that coordinate with the 10 plain colours already in the range and with the main types of porcelain floor tiles.

Abstract Connections


Arte 2 is embarking on a journey into abstract territories that are unrelated to figurative subjects but which are no less fascinating and evocative. Amid handmade designs, optical geometries, linear or time-worn textures, this heterogeneous collection of designs includes stylistic expressions that at times recall fabric prints, craftwork or illustrations and contain aesthetic references to different spatial and temporal contexts. The common element unifying the various patterns is this free interpretation of shapes and colours, which stimulates creativity in the design of living spaces.



Amplify




Layers



Offset



Palette




Overlap




Riviera



Upcycled



Refined



A new dimension for decor

3D tech

Arte 2 stand out not only for their design and bright colours but also for their tactile quality, which gives the various patterns a strongly three-dimensional look and feel. This is achieved through the use of exclusive 3D Tech technology, which allows for the application of thick coatings of different ceramic materials in perfect alignment with the high-definition digital graphic designs. This revolutionary production process enables to create surfaces with extraordinary sensorial appeal.



Solid Colours

Plain colours continue to be fundamentally important in defining the moodboard of a room. In conjunction with the decorative walls of Arte 2, ABK offers a palette of ten colours that meet every design requirement and cover all the main colour trends.





Wall: **Refined** 60x120
Top: **Pirenei Ecrú Fullbody 3D** 20 mm

Refined

Wall: **Refined | Cloud** 60x120
Floor: **Verses Stone Pirenei Grey** 60x120



Wall: **Refined | Whale** 60x120
Floor: **Sensi Signoria Labradorite Lux** 60x120
Top: **Labradorite Lux** 12 mm



Wall: Refined | Mint | Whale 60x120
Floor: Verses Wood Gold 26,5x180



Wall: **Upcycled** 60x120

Upcycled

Wall: **Upcycled** 60x120
Floor: **Ghost Grey** 60x120



Wall: **Upcycled** | **Whale** 60x120 | **Verses Stone Pirenei Ecrú** 60x120
Floor: **Verses Stone Pirenei Ecrú** 60x120



Wall: Upcycled | Powder | Paprika 60x120
Floor: Verses Wood Ecu 26,5x180



Layers

Wall: **Layers | Mint** 60x120
Floor: **Blend Concrete Moon** 60x120



Wall: **Layers | Whale** 60x120
Floor: **Verses Wood Gold** 20x120





Wall: **Layers | Snow** 60x120
Floor: **Verses Stone Piase Ash** 60x120



Wall: **Offset** | **Snow** 60x120

Offset

Wall: **Offset** 60x120
Top: **Sensi Signoria Calacatta Vena Oro Soft** 120x280



Wall: **Offset** | **Alabaster** 60x120
Floor: **Verses Stone Trani Beige** 60x120



Wall: **Offset** 60x120
Floor: **Verses Stone Pirenei Ecrú** 60x120




Wall: **Offset** | **Paprika** | **Ghost Clay** 60x120
Floor: **Ghost Clay** 60x120



Wall: **Amplify** | **Ginger** 60x120

Amplify

Wall: **Amplify** | **Phard** 60x120 | **LAB325 Base Ash** 120x280
Floor: **LAB325 Base Ash** 60x120
BATH DESIGN - Washbasin: **White Nat** 12 mm



Wall: **Amplify** | **Alabaster** | **Mint** 60x120
Floor: **Verses Stone Pirenei Ecu** 60x120



Wall: **Amplify | Cloud 60x120**
Floor: **Verses Wood Gold 20x120**

Wall: **Amplify 60x120 | Verses Stone Pirenei Grey 120x280**
Floor: **Verses Stone Pirenei Grey R11 60x120 8,5mm**



Overlap

Wall: **Overlap | Alabaster** 60x120
Floor: **Verses Stone Pirenei Ecrú** 60x120



Wall: **Overlap | Phard** 60x120
Floor: **Verses Wood Ecrú** 20x120
Washbasin: **Verses Stone Pirenei Grey** 120x280



Wall: **Overlap | Powder** 60x120
Listello Colorful Cognac 5x120

Wall: **Overlap | Ginger** 60x120
Matita Alluminio Rame scuro 0,5x120
 Floor: **Verses Stone Piase Mud** 60x120



Wall: **Overlap | Verses Stone Trani Beige** 60x120
 Floor: **Verses Stone Trani Beige** 60x120
BATH DESIGN - Washbasin and Top: **Verses Stone Trani Beige**
 120x280

Palette

Wall: **Palette | Phard** 60x120
Floor: **Verses Wood Ecu** 20x120
BATH DESIGN - Washbasin and Top: **Verses Stone Trani Beige** 120x280





Wall: **Palette | Snow** 60x120
Floor: **Verses Wood Oak** 20x120



Wall: **Palette** 60x120
Volume: **Verses Colors Smoke** 10x10
Floor: **Blend Concrete Grey** 60x120

Riviera

Wall: **Riviera | Whale** 60x120
Floor: **Verses Stone Piase Ash** 60x120



Wall: **Riviera | Alabaster** 60x120
Floor: **Verses Wood Gold** 26,5x180




Wall: **Riviera | Sky** 60x120
Floor: **Blend Concrete Moon** 60x120

Abstract Connections


7 mm

PORCELAIN TILES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-GROUP BIa GL



60x120
REFINED rett.



60x120
OVERLAP rett.



* 60x120
UPCYCLED rett.



* 60x120
RIVIERA rett.

* THIS ARTICLE COMES IN SEVERAL DIFFERENT VERSIONS THAT ARE MIXED RANDOMLY AT THE TIME OF PACKAGING. THERE IS THEREFORE NO GUARANTEE THAT ALL PATTERNS WILL BE PRESENT IN ANY INDIVIDUAL BOX.



60x120
AMPLIFY rett.



60x120
LAYERS rett.



60x120
OFFSET rett.



60x120
PALETTE rett.

"ABSTRACT CONNECTIONS" PORCELAIN SLABS ARE SUITABLE FOR FLOOR USE IN RESIDENTIAL AREAS.

ITEMS WITH A GRAPHIC CLEARANCE AMONG THE DIFFERENT SLABS RANGING WITHIN 3 MM.



Solid Colours

7 mm

WHITE BODY WALL TILES


CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-GROUP BIII




60x120
GINGER rett.




60x120
POWDER rett.




60x120
PHARD rett.



60x120
PAPRIKA rett.



60x120
MINT rett.



60x120
SKY rett.



60x120
WHALE rett.



60x120
SNOW rett.



60x120
CLOUD rett.




60x120
ALABASTER rett.

Create your style

For each of the eight decorative graphic motifs, the style department has selected multiple colour combinations with Arte 2 plain colours. These invaluable design suggestions help to create a sophisticated, contemporary style for unique and appealing interiors.



Upcycled





Refined



Amplify




Layers



Offset



Palette



Overlap




Riviera



WALL DECORS

ALUMINIUM STRIPS

ALUMINIUM STRIPS FOR USE BETWEEN WALL TILES OF DIFFERENT THICKNESSES (8,5/7/6 MM).



MATITA ALLUMINIO 0,5x120 4
Rounded top



MATITA ALLUMINIO

Rounded top colored with acrylic resins



MATITA ALLUMINIO ORO



MATITA ALLUMINIO RAME SCURO



MATITA ALLUMINIO WHITE



MATITA ALLUMINIO TERRACOTTA



MATITA ALLUMINIO BLU




MATITA ALLUMINIO VERDE



MATITA ALLUMINIO ARDESIA



MATITA ALLUMINIO BLACK



MATITA ALLUMINIO 0,5x120 4
Flat top colored in galvanic bath



MATITA ALLUMINIO BRONZO



MATITA ALLUMINIO RAME

IMPORTANT INFORMATION FOR INSTALLATION AND CLEANING.

Item made of certified pure aluminium and decorated by hand with acrylic resins or in galvanic bath.

Slight differences in colour and/or finish are typical of handmade products.

INSTALLATION: use polyurethane or epoxy glues. During installation, where possible avoid all contact between the glue and the surface of the aluminium strip. If necessary, immediately clean off any excess glue from the visible surface using water and a soft sponge.

Take great care during grouting and clean immediately using water and a soft sponge.

CLEANING: we recommend using a soft cloth with water and neutral soap, alcohol or neutral household cleaners (do not use acidic or alkaline products).

NOTE: do not under any circumstances (installation, grouting or cleaning) use abrasive, acidic or alkaline products, acetone, solvents or thinners.

Do not apply adhesive tape or similar products to the decorated surface.

(GLOSSY SURFACE)



LISTELLO COLORFUL COGNAC 5x120 4



LISTELLO COLORFUL OCHRE 5x120 4

SUGGESTED MATCHING



Upcycled



Amplify



Offset



Palette



Overlap



Riviera

SUGGESTED MATCHING



Upcycled



Refined



Amplify



Layers



Offset



Palette



Overlap



Riviera



LISTELLO COLORFUL SEA 5x120 4

SUGGESTED MATCHING



Refined



Amplify



Palette



Riviera

TECHNICAL DATA

PORCELAIN TILES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-GROUP BIa GL

PHYSICAL-CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
THICKNESS	UNI EN ISO 10545/2	± 5%	ACCORDING TO
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WEDGING	UNI EN ISO 10545/2	± 0,6%	ACCORDING TO
FLATNESS	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING TO
BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING TO
BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 700 N	ACCORDING TO
ABRASION RESISTANCE FOR GLAZED TILES	UNI EN ISO 10545/7	ACCORDING TO THE DESTINATION OF FINAL USE	ACCORDING TO
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	GB MIN.	ACCORDING TO
RESISTANCE TO STAINING	UNI EN ISO 10545/14	GL ≥ MINIMO CLASSE 3	ACCORDING TO
SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
			> 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012	≥0,42	> 0,42

“ABSTRACT CONNECTIONS” PORCELAIN SLABS ARE SUITABLE FOR FLOOR USE IN RESIDENTIAL AREAS.

SOLID COLOURS - TECHNICAL DATA

WHITE BODY WALL TILES

CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX L-GROUP BIII

PHYSICAL - CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	VALUE
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILES	UNI EN ISO 10545/2	l ≤ 12 cm: ± 0,5%	ACCORDING TO
		l > 12 cm: ± 0,3%	
THICKNESS	UNI EN ISO 10545/2	± 10%	ACCORDING TO
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,3%	ACCORDING TO
WEDGING	UNI EN ISO 10545/2	± 0,5%	ACCORDING TO
FLATNESS	UNI EN ISO 10545/2	+ 0,5% - 0,3%	ACCORDING TO
WATER ABSORPTION	UNI EN ISO 10545/3	> 10%	ACCORDING TO
BENDING STRENGTH	UNI EN ISO 10545/4	per spessore ≥ 7,5 mm >15 N/mm²	ACCORDING TO
		per spessore < 7,5 mm >12 N/mm²	
BREAKING STRENGT	UNI EN ISO 10545/4	-	-
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	-
RESISTANCE TO STAINING	UNI EN ISO 10545/14	CLASS 3 MINIMUM	ACCORDING TO
MOISTURE EXPANSION	UNI ENISO 10545-10	-	-

PACKAGING

Nominal size	Work size (mm)	Thickness	Type of packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Pcs Total	Sqm Total	Kg/Packing	Kg Total
60x120 / 24"x48" rett. ABSTRACT CONNECTIONS Porcelain tiles	596x1194	7 mm	Pallet	2	1,44	24,00	32	64	46,08	20	788
60x120 / 24"x48" rett. SOLID COLOURS White body wall tiles	596x1194	7 mm	Pallet	2	1,44	20,00	40	80	57,60	20	820

THE MINIMUM SALES QUANTITY FOR ALL ITEMS IS ONE FULL BOX.

DATA REFERRING TO PACKAGING HAVE BEEN UPDATE AT TIME OF PRINTING; THE ACTUAL DATA MAY BE SLIGHTLY DIFFERENT.

OPTICAL FEATURES AND COLOR SHADES OF CERAMIC MATERIALS ILLUSTRATED IN THIS CATALOGUE ARE TO BE REGARDED AS MERE INDICATIONS.



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie