



Italian Tile & Stone  
tiles.ie

# SLATE

STONETALES

COMPACT

[www.tiles.ie](http://www.tiles.ie)

Italian design, international surfaces. Slate is the new collection of Italian Tile and Stone born from the research of most beautiful slates of South America.







○  
SLATE RAIL BLACK













## SLATE



USE

Residential interiors  
Bathrooms  
Commercial premises  
Public spaces


COLOURS

-  Oxford White
-  Silk Grey
-  Elephnat Grey
-  Pencil Grey
-  Rail Black


SIZES




60 x 120  
24" x 48"



80 x 80  
32" x 32"



60 x 60  
24" x 24"



30 x 60  
12" x 24"



7.4 x 30  
3" x 12"







○  
SLATE OXFORD WHITE  
60 × 120 - 24" × 48"  
SLATE SILK GREY  
60 × 120 - 24" × 48"

> CONFERENCE  
> COWORKING S









○  
SILK GREY HEXAGON  
25 x 34 - 10" x 13"  
SLATE SILK GREY  
80 x 80 - 32" x 32"





○  
SILK GREY HEXAGON  
25 x 34 - 10" x 13"  
SLATE SILK GREY  
80 x 80 - 32" x 32"



○  
SILK GREY HEXAGON  
25 x 34 - 10" x 13"  
SLATE SILK GREY  
80 x 80 - 32" x 32"









○  
SLATE ELEPAHANT GREY  
60 x 60 - 60 x 120 - 24" x 24" - 24" x 48"



○  
SLATE ELEPAHANT GREY  
7,4 x 30 - 3" x 12"





○  
SLATE ELEPAHANT GREY GRIP  
60 x 60 - 24" x 24"





○  
 WOODEN BIRCH  
 30 X 119,5 - 12" X 48"  
 SLATE PENCIL GREY  
 60 X 120 - 24" X 48"









○  
SLATE PENCIL GREY  
60 x 60 - 30 x 60 - 24" x 24" - 12" x 24"



○  
SLATE PENCIL GREY  
60 x 60 - 30 x 60 - 24" x 24" - 12" x 24"



O  
 SILK GREY PLANK  
 30 X 60 - 12" x 24"  
 SLATE SILK GREY  
 60 X 120 - 24" x 48"  
 SLATE RAIL BLACK  
 60 X 120 - 24" x 48"







# TECHNICAL DATA



## Oxford white



## Silk grey





## Elephant grey




## Pencil grey






## Rail black






TECHNICAL INFORMATION & PLUS

SIZES




RETTIFICATO

$\frac{80 \times 80}{32'' \times 32''}$




RETTIFICATO

$\frac{60 \times 120}{24'' \times 48''}$




RETTIFICATO | GRIP

$\frac{60 \times 60}{24'' \times 24''}$




RETTIFICATO

$\frac{30 \times 60}{12'' \times 24''}$




RETTIFICATO

$\frac{7,4 \times 30}{3'' \times 12''}$




MOSAICO

$\frac{30 \times 30}{12'' \times 12''}$



HEXAGON


$\frac{25 \times 34}{10'' \times 13''}$



PLANK


$\frac{30 \times 60}{12'' \times 24''}$

SPECIAL ITEMS




GRADONE COSTA RETTA  
RETTIFICATO | GRIP

$\frac{30 \times 60 \times 4}{12'' \times 24'' \times 1\frac{2}{3}''}$




GRADONE ANGOLARE COSTA RETTA  
RETTIFICATO | GRIP

$\frac{30 \times 30 \times 4}{12'' \times 12'' \times 1\frac{2}{3}''}$




GRADINO  
RETTIFICATO | GRIP

$\frac{30 \times 60}{12'' \times 24''}$




GRADONE COSTA RETTA  
RETTIFICATO

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$




GRADONE ANGOLARE COSTA RETTA  
RETTIFICATO

$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 1\frac{2}{3}''}$



ELEMENTO A L  
RETTIFICATO | GRIP










$\frac{30 \times 60 \times 5}{12'' \times 24'' \times 2''}$



BATTISCOPIA SMALTATO  
RETTIFICATO

$\frac{7 \times 60}{3'' \times 24''}$   
 $\frac{9,5 \times 80}{4'' \times 32''}$

TECHNICAL FEATURES

	standards	characteristics or properties	declared values
	ISO 10545-3	water absorption	<0.5%
	ISO 10545-4	breaking strength	35 N/mm <sup>2</sup>
	ISO 10545-13	resistance to acid	GLA
	ISO 10545-12	frost resistance	frost proof
	ISO 10545-14	stain resistance	4
	ISO 10545-2	surface flatness	±0.5%
		thickness	10 mm
	DIN51097 DIN51130 DCOF BOT 3000	static coefficient of friction	A R10 > 0.42
	DIN51097 DIN51130 DCOF BOT 3000	static coefficient of friction	A+B+C R11 > 0.42
		color shade variations	V3 moderate variation

for all information about special pieces, laying solutions and technical features, please see the 2thick catalogue


PACKING

mm	inch		thickness	pcs/box	sqm/box	kgs/box	box/pal	sqm/pal	kgs/pal
60x120	24"x48"	rettificato	10	2	1.44	32.51	30	43.20	975.30
60x60	24"x24"	rettificato   grip	10	3	1.08	23.92	40	43.20	956.80
30x60	12"x24"	rettificato	10	6	1.08	23.76	40	43.20	950.40
80x80	32"x32"	rettificato	10	2	1.28	28.50	40	51.20	1140.00
7.4x30	3"x12"	rettificato	10	40	0.89	19.50	60	53.28	1170.00
30x30	12"x12"	mosaico		11	0.99	20.00	36	35.64	720.00
30x60	12"x24"	plank		5		19.65			
25x34	10"x13"	hexagon		6		11.10			
7x60	3"x24"	battiscopa smaltato rettificato		12		11.16			
9.5x80	4"x32"	battiscopa smaltato rettificato		8		14.24			
30x60	12"x24"	gradino rettificato   grip		8		31.60			
30x60x4	12"x24"x 23/4"	gradone costa retta rettificato   grip		4		19.40			
60x120x4	24"x48"x 23/4"	gradone costa retta rettificato		2		34.80			
30x30x4	12"x12"x 23/4"	gradone angolare costa retta   grip		2		4.40			
60x120x4	24"x48"x 23/4"	gradone angolare costa retta		1		18.20			
30x60x5	12"x24"x 2"	elemento a L   grip		4		17.20			

the indicated weight includes the supporting pallet

**JOINT**  
for rectified material, we recommend a minimum of 2 mm of grout when using one size of piece only and 3 mm for multi-size laying solutions





## about Italian tile and stone

*Italian tile and stone has been recognized for years for the outstanding quality of its products.*

*The philosophy of the group is based on a dynamic business strategy combined with cutting edge technological research and a sure sense of beauty and style.*

*A successful synergy that has appointed internationally as a trendsetter in the market of ceramic tiles.*

*Its constant attention to the latest trends in interior design and the excellent technical performance makes its products suitable for all type of architectures, either residential or commercial buildings, for interior or exterior arrangements.*





# Italian Tile & Stone

---

## TERENURE SHOWROOM

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88

**T** 01 492 4891

**E** [info@tiles.ie](mailto:info@tiles.ie)

## COMMERCIAL DIVISION

---

Italian Tile and Stone 56  
Terenure Road North, Dublin,  
D6W AW88

**T** 01 907 3700

**E** [commercial@tiles.ie](mailto:commercial@tiles.ie)

## SWORDS SHOWROOM

---

Italian Tile and Stone  
6 Town Centre Mall, Main Street  
Swords, Co. Dublin, K67 CD86 **T** 01  
840 5057

**E** [swords@tiles.ie](mailto:swords@tiles.ie)

---

[www.tiles.ie](http://www.tiles.ie)