



Italian Tile & Stone
tiles.ie

JEWELS

www.tiles.ie



JEWELS

JEWELS

THE ELEGANCE OF MARBLE IS EVOKED IN FOUR SOPHISTICATED VARIETIES THAT STAND OUT NOT JUST FOR THEIR CONTRASTING VEINS BUT ALSO FOR THEIR CRYSTALLISATION EFFECTS, DISTINCTIVE TEXTURES THAT CREATE A SURPRISING SENSE OF DEPTH IN SURFACES AVAILABLE IN NATURAL, SOFT, LUX FINISH VERSIONS.



TAJ MAHAL




TITANIUM BLACK



CRYSTAL



ICEBERG



SURFACES

NATURALE

SOFT

LUX

MATCHING MATERIALS.

The many inspirations behind this range can be used to customise any space and create constantly changing material effects. Marble, metal, wood, solid colours and decorative pattern are skilfully combined to create a surprising crossover style ideal for highly contemporary architectural solutions.



JEWELS + BLEND CONCRETE



JEWELS + ECO CHIC



JEWELS + CROSSROAD WOOD



JEWELS + INTERNO 9


TAJ MAHAL



floor
JEWELS TAJ MAHAL 60x120 LUX




floor
JEWELS TAJ MAHAL 60x120 LUX



wall
JEWELS TAJ MAHAL 160x320 SOFT
floor
MISCELA DOTS TAUPE 90x90 rett.



wall
JEWELS TAJ MAHAL 160x320 SOFT
floor
MISCELA DOTS TAUPE 90x90 rett.



wall and washbasin
 JEWELS TAJ MAHAL 120x280 SOFT

top
 STONE TAJ MAHAL 12 mm

floor
 CROSSROAD WOOD TAN 20x120



CRYSTAL



floor
JEWELS CRYSTAL 120x120 LUX



floor
JEWELS CRYSTAL 120x120 LUX





wall
 JEWELS CRYSTAL 60x120 rett.
 CRYSTAL MIX SIZES 30x60 RETT./LUX
 ATLANTIS LIST. SENAPE 5x60
 INTERNO 9 RUST 60x120 rett.

washbasin
 JEWELS CRYSTAL 120x280 SOFT

floor
 JEWELS CRYSTAL 60x120 rett.



wall
JEWELS CRYSTAL MIX SIZES 30x60 RETT./LUX
ATLANTIS LIST. SENAPE 5x60

floor
JEWELS CRYSTAL 60x120 rett.



wall
JEWELS CRYSTAL A+B 120x280 LUX

table
STONE CRYSTAL LUX 12 mm

floor
ECO CHIC BROWN 20x120

floor
 JEWELS CRYSTAL 120x120 rett.




wall
 WIDE&STYLE MINI PAPRIKA 60x120
 JEWELS CRYSTAL SOFT 120x280

floor
 JEWELS CRYSTAL RETT. 60x120

STONE - WASHBASIN TOP: ESSENCE AVANA 6 mm



ICEBERG



top and backsplash
STONE ICEBERG SOFT 12 mm





top and washbasin
STONE ICEBERG SOFT 12 mm

floor
JEWELS ICEBERG 120x120 rett.



floor
JEWELS ICEBERG 120x120 rett.



floor
JEWELS MULTIQUARTZ 120x120 LUX
JEWELS ICEBERG 120x120 LUX

wall
 JEWELS ICEBERG 60x120 LUX
 JEWELS ICEBERG MIX SIZES 30x60 RETT./LUX
 MATITA ALLUMINIO BLACK 0,5x120
 CHROME BLACK SOFT 120x280

washbasin top
 STONE ICEBERG LUX 20 mm

floor
 ECO CHIC NATURALE 20x120 rett.



wall
WIDE&STYLE MINI CARIBBEAN 60x120
JEWELS ICEBERG SOFT 120x280
MATITA ALLUMINIO RAME SCURO 0,5x120
CROSSROAD BRICK BLUE 7,5x30

floor
ECO CHIC BROWN 20x120

TITANIUM BLACK



wall and washbasin
JEWELS TITANIUM BLACK 120x280 LUX
JEWELS UP INVISIBLE PEARL 120x280 LUX

floor
JEWELS TITANIUM BLACK 60x120 LUX





wall and washbasin
JEWELS TITANIUM BLACK 120x280 LUX
JEWELS UP INVISIBLE PEARL 120x280 LUX

bathtub
CROSSROAD CHALK WHITE 120x280

floor
JEWELS TITANIUM BLACK 60x120 LUX







wall
JEWELS TITANIUM BLACK 120x280 SOFT
WIDE & STYLE RAINBOW LAMPONE 120x280 rett.

floor
JEWELS TITANIUM BLACK 120x120 rett.



JEWELS

COLOUR AND SIZE CHART

				
	CRYSTAL	TAJ MAHAL	ICEBERG	TITANIUM BLACK
6 mm				
160x320 64"x128" soft	•	•	•	•
160x320 64"x128" lux	•	•	•	•
120x280 48"x112" soft	•	•	•	•
120x280 48"x112" lux	•	•	•	•
40x120 16"x48" soft	•	•	•	•
40x120 16"x48" lux	•	•	•	•
9 mm				
120x120 48"x48" rett.	•	•	•	•
120x120 48"x48" lux	•	•	•	•
60x120 24"x48" rett.	•	•	•	•
60x120 24"x48" lux	•	•	•	•

JEWELS

CRYSTAL

6 mm	
160x320	soft rett.
160x320	lux rett.
* 120x280	soft rett.
* 120x280	lux rett.
40x120	soft rett.
40x120	lux rett.
9 mm	
120x120	nat rett.
120x120	lux rett.
60x120	nat rett.
60x120	lux rett.

STONE

163,5x323 soft	⌵ 6 mm
163,5x323 lux	⌵ 6 mm
163,5x323 soft	⌵ 12 mm
163,5x323 lux	⌵ 12 mm

CRYSTAL BOOK MATCH

6 mm
* 120x280 SLAB A LUX rett.
* 120x280 SLAB B LUX rett.

Graphic clearance among the different slabs ranging within 3 cm.

*The item will be delivered 6 mm 120x278 or 6 mm 120x270 until stocks are exhausted.



SLAB A

SLAB B

TAJ MAHAL

6 mm		
160x320	soft rett.	
160x320	lux rett.	
* 120x280	soft rett.	
* 120x280	lux rett.	
40x120	soft rett.	
40x120	lux rett.	
9 mm		
120x120	nat rett.	
120x120	lux rett.	
60x120	nat rett.	
60x120	lux rett.	

STONE		
163,5x323 soft	⌂ 6 mm	
163,5x323 lux	⌂ 6 mm	
163,5x323 soft	⌂ 12 mm	
163,5x323 lux	⌂ 12 mm	

ICEBERG

6 mm		
160x320	soft rett.	
160x320	lux rett.	
* 120x280	soft rett.	
* 120x280	lux rett.	
40x120	soft rett.	
40x120	lux rett.	
9 mm		
120x120	nat rett.	
120x120	lux rett.	
60x120	nat rett.	
60x120	lux rett.	

STONE		
163,5x323 soft	⌂ 6 mm	
163,5x323 lux	⌂ 6 mm	
163,5x323 soft	⌂ 12 mm	
163,5x323 lux	⌂ 12 mm	



TITANIUM BLACK

6 mm		
160x320	soft rett.	
160x320	lux rett.	
* 120x280	soft rett.	
* 120x280	lux rett.	
40x120	soft rett.	
40x120	lux rett.	
9 mm		
120x120	nat rett.	
120x120	lux rett.	
60x120	nat rett.	
60x120	lux rett.	

STONE		
163,5x323 soft	⌂ 6 mm	
163,5x323 lux	⌂ 6 mm	
163,5x323 soft	⌂ 12 mm	
163,5x323 lux	⌂ 12 mm	




*The item will be delivered 6 mm 120x278 or 6 mm 120x270 until stocks are exhausted.

JEWELS

MULTIQUARTZ

9 mm		
120x120	lux rett.	
60x120	lux rett.	

This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.



wall
JEWELS MULTIQUARTZ 60x120 LUX
JEWELS CRYSTAL 60x120 LUX
washbasin
JEWELS CRYSTAL 120x280 LUX
floor
CROSSROAD CHALK SAND 60x120




wall
JEWELS ICEBERG 40x120 SOFT rett.
floor
JEWELS CRYSTAL 120x120 rett.

ALUMINIUM STRIPS

Anodized Aluminium strips for use between wall tiles of different thicknesses (9/7/6 mm).



MATITA ALLUMINIO 0,5x120 4
Rounded top.



MATITA ALLUMINIO

Rounded top colored with acrylic resins.

MATITA ALLUM. ORO

MATITA ALLUM. RAME SCURO



MATITA ALLUM. WHITE



MATITA ALLUM. TERRACOTTA



MATITA ALLUM. BLU




MATITA ALLUM. VERDE




MATITA ALLUM. ARDESIA



MATITA ALLUM. BLACK



MATITA ALLUMINIO 0,5x120 4
Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO

MATITA ALLUM. RAME

WALL DECORS 9 mm



5x60 4
LIST. AVIO rett.
Lucido / Glossy



5x60 4
LIST. PHARD rett.
Lucido / Glossy



5x60 4
LIST. SENAPE rett.
Lucido / Glossy















wall
JEWELS CRYSTAL MIX SIZES 30x60 RETT./LUX
ATLANTIS LIST. SENAPE 5x60
INTERNO 9 RUST 60x120 rett.
floor
JEWELS CRYSTAL 60x120 rett.



wall
WIDE&STYLE MINI CARIBBEAN 60x120
JEWELS ICEBERG SOFT 120x280
MATITA ALLUMINIO RAME SCURO 0,5x120

DECORATIVE 9 mm					
  	MIX SIZES rett. / lux 30x60  6
	Pcs box: 15x60  6				
	10x60  6				
	5x60  6				





SPECIAL TRIMS 9 mm		CRYSTAL	TAJ MAHAL	ICEBERG	TITANIUM BLACK
	BATTISCOPA lux rett. 5,5x120  6
	BATTISCOPA nat. rett. 5,5x120  6
	GRADONE TOP. lux rett. 32x120x4,5x2  1
	GRADONE TOP. nat. rett. 32x120x4,5x2  1
	ANGOLARE TOP SX lux rett. 32x120x4,5x2  1
	ANGOLARE TOP SX nat. rett. 32x120x4,5x2  1
	ANGOLARE TOP DX lux rett. 32x120x4,5x2  1
	ANGOLARE TOP DX nat. rett. 32x120x4,5x2  1

TECHNICAL FEATURES

LUX SURFACE: CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL
NATURAL SURFACE: CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla UGL

FULL BODY PORCELAIN

PHYSICAL-CHEMICAL PROPERTIES	NORM	VALUE PRESCRIBED FROM THE NORMS	JEWELS NATURALE
LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	ACCORDING
THICKNESS	UNI EN ISO 10545/2	± 5%	ACCORDING
WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	ACCORDING
WEDGING	UNI EN ISO 10545/2	± 0,6%	ACCORDING
FLATNESS	UNI EN ISO 10545/2	± 0,5%	ACCORDING
WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	ACCORDING
BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	ACCORDING
BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 1300 N	ACCORDING
RESISTANCE TO DEEP ABRASION OF UNGLAZED TILES	UNI EN ISO 10545/6	< 175 mm3	ACCORDING
THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	REQUIRED	RESISTS
FROST RESISTANCE	UNI EN ISO 10545/12	REQUIRED	FROST PROOF
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN UB	ACCORDING
RESISTANCE TO STAINING	UNI EN ISO 10545/14	UGL: VALUE TO DECLARE	-
SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 - SATISFACTORY GRIP μ 0,75 - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY
			> 0,60 WET
	DIN 51130	BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

SHADE VARIATION	V2	 uniform appearance V1	 slight variation V2	 moderate variation V3	 substantial variation V4
-----------------	----	---	---	---	--

P. tech ON DEMAND

The innovative P.TECH technology which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean.
SENSI GEMS - CRYSTAL, TAJ MAHAL, ICEBERG in P.TECH finish, in the 60x120 and 120x120 sizes, can be supplied on request with an order subject to a minimum production batch.

PACKAGING

Nominal size	Finish	Thickness	Work size (mm)	Packing	Pcs/Box	Sqm/Box	Kg/Box	Box/Packing	Pcs Total	Sqm total	Kg Packing	Kg Total
160x320 64"x128"	rett	6	1596,5x3195	Crate	-	-	-	-	15	76,80	139	1.279
				Container Rack pallet	-	-	-	-	36	184,32	180	2.916
120x280 48"x112"	rett	6	1194x2700	Crate	-	-	-	-	20	64,80	112	1.084
				Rack pallet	-	-	-	-	36	116,64	115	1.865
				Container Rack pallet	-	-	-	-	36	116,64	130	1.880
120x120 48"x48"	rett.	9	1194x1194	Pallet with sides	2	2,88	56,16	18	36	51,84	40	1.051
60x120 24"x48"	rett.	9	596x1194	pallet	2	1,44	28,00	30	60	43,20	20	860
30x60 mix sizes 12"x24"	rett.	9	297x596	pallet	6	1,08	21,20	40	240	43,20	20	868

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box. I
Data referring to packaging have been update at time of printing; the actual data may be slightly different.
Due to working process special trims and decors, may show variation in tonality.

Optical features and color shades of ceramic materials illustrated in this catalogue are to be regarded as mere indications.



Italian Tile & Stone

TERENURE SHOWROOM

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 492 4891
E info@tiles.ie

COMMERCIAL DIVISION

Italian Tile and Stone 56
Terenure Road North, Dublin,
D6W AW88
T 01 907 3700
E commercial@tiles.ie

SWORDS SHOWROOM

Italian Tile and Stone
6 Town Centre Mall, Main Street
Swords, Co. Dublin, K67 CD86 **T** 01
840 5057
E swords@tiles.ie

www.tiles.ie